

40400 / A

Richelieu

SELECTIONS

FROM

PHYSICIANS'

PRESCRIPTIONS,

CONTAINING

1. COPIOUS LISTS OF TERMS, PHRASES, AND ABBREVIATIONS, USED IN PRESCRIPTIONS, WITH NOTES.
2. A SERIES OF PRESCRIPTIONS TO ILLUSTRATE THE APPLICATION OF THESE TERMS.
3. THE GRAMMATICAL CONSTRUCTION OF PRESCRIPTIONS.

Intended for the Use of Medical Students.

BY JONATHAN PEREIRA, F.L.S.
Member of the Royal College of Surgeons,
&c.

FOURTH EDITION, MUCH ENLARGED.

LONDON:
PUBLISHED BY S. HIGHLEY,
174, FLEET-STREET, AND WEBB-STREET, MAZE-POND, BOROUGH.
1829.

J. and C. Adlard, Printers,
Bartholomew Close.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

TABLE OF CONTENTS.

Page

A list of Terms, Phrases, &c. met with in Physicians' Prescriptions 1

A list of Abbreviations 25

A Series of Prescriptions to illustrate the application of the above Terms, &c. . . . 33

The Rules of Latin Syntax, with Examples drawn from Prescriptions 123

Prescriptions, with a Grammatical Explanation, 131

SELECTION OF PRESCRIPTIONS.

PART I.

List of Terms, &c. used in Prescriptions, arranged under distinct heads.

SECT. I.

*Sanguinis missio generaliter.**	*General Bloodletting.*
Phlebotomia;† venæsectio.	Venesection.
Sanguinem mittere, *vel* detrahere, *vel* extrahere, *vel* emittere, *vel* exugere, *vel* educere.	To bleed.
Pertundatur vena brachii; secetur vena brachii.	Let a vein of the arm be cut.
Pleno rivo;‡ de largo canali.	In a full stream.

---

* The propriety of this and all similar words as applied to bloodletting, notwithstanding the opinion of Dr. Gregory, that "Sanguinis missio non inepte vocatur generalis," when it is intended that its effects should be general, I must consider very questionable. They seem to signify that the man is to be pricked all over, for the purpose of drawing blood from him, rather than any thing relating to the *effects* of the bleeding.—*Horæ Subsecivæ.*

† From φλεβος, the genitive case of φλεψ, a vein, and τεμνω, I cut.

‡ *Rivus* is usually translated "*a river;*" but it means literally "*a stream,*" e. g. "*sanguinis rivus,*" "*a stream of blood.*"

Ex largo vulnere.	From a large orifice.
Ad ℥—— tantum *vel* saltem.	To ——℥ only.
Ad animi defectionem; donec anima deficit; ad deliquium, usque ut liquerit animus; ad syncopen.	To fainting.
Fiat arteriotomia; mittatur sanguis ex arteria temporali	Let arteriotomy be performed; from the temporal artery.
Mittatur sanguis per saltum.	Let blood be taken by leaps (*i.e.* from an artery.)

SECT. II.

Sanguinis missio localis vel topicaliter.	*Local Bloodletting.*
Hirudines; sanguisugæ.	Leeches.
Hirudines affigere, *vel* defigere, accomodare, *vel* agglutinare, *vel* admovere, *vel* applicare.*	To apply leeches.
Cucurbitula;† cucurbitula cruenta; cucurbitula cum ferro, *vel* cum scarificatione.	A cupping-glass, with the scarificator.
Cucurbitula sicca	A dry cupping glass, (i.e. without scarification.)

* The word *applicare*, to signify the external use of Medicines, should be altogether banished. It is always improper. —(*Horæ Subsecivæ.*)

† *Cucurbitula* is a diminutive of *Cucurbita, a gourd,* so called from its shape.

Cucurbitulas cum ferro accomodare; *vel* affigere, &c. (*vide* Hirudines.)	To apply the cupping glasses and scarificator.
Incisâ cute cucurbitulas affigere.	The skin having been cut, to apply the cupping glasses.
Levibus plagis* secare, *vel* incidere; scarificare.	To scarify.

SECT. III.

The application of Blisters, Plasters, &c.

Vesicatorium. Emplastrum epispasticum†.	A blister.
Vesicare.	To raise a blister.
Usque ad vesicationem.	Until vesication is produced.
Vesicatorium admovere (*vel* adhibere; *vel* imponere; *vel* inducere; *vel* superimponere; *vel applicare.*)	To apply a blister.
Renovetur emplastrum.	Let the plaster be renewed.
In alutam inducendum. Super alutam extensum (*vel* extendendum.)	To be spread upon leather.

---

* *Plaga* is used by Celsus to signify "an incision."

† *Gaubius* and some other of the older writers use the term *epispastic* to signify all stimulating applications to the skins, including *vesicatories*, *sinapisms*, &c. At the present time, however, it is commonly restricted to *vesicatories*.

Super chartam emporeticam.	Upon coarse or brown paper.
Emplastrum hujus magnitudinis, ad exemplar, ad normam.†	A plaster of this size; to pattern.
Magnitudo hujus chartæ.	The size of this paper.
Magnitudo semi-coronæ nummi.	The size of a half-crown piece.
Latitudo pollicaris.	The breadth of a thumb.
Cura partem exulceratam unguento Sabinæ.	Dress the ulcerated part with Savin ointment.
Ut ulcus perpetuum fiat.	That a permanent ulcer may be produced.
Fluxum elicere.	To promote the discharge.
Promovere detractionem humoris nati ab vesicatorio.	To promote the discharge of fluid produced by the blister.
Insperge pulverem Lyttæ super emplastrum.	Sprinkle the powder of Lyttæ upon the plaster.

* *Ad normam,* according to law, custom, or pattern.

SECT. IV.

Of Frictions, &c.

Fricare, (*vel* perfricare.)	To rub.
Ungere; (*vel* inungere; *vel* infricare.)	To rub (*as an ointment.*)
Fricetur corpus aut lanâ, vel strigile.	Let the body be rubbed, either with a flannel or a brush.
Linere; (*vel* delinere; *vel* illinere; *vel* superillinere.)	To spread upon.
Inspergere; (*vel* respergere.)	To sprinkle over.
Inspergatur pauxillum super mamillas.	Let a little be sprinkled upon the nipples.

SECT. V.

Shaving; Issues; Setons; Electricity; Galvanism.

Capilli; capillitium*; crines.†	The hair of the head.

---

* *Capillitium* cannot be found in many dictionaries. It signifies "a bush of hair;" in medical language, "the hair of the head."

† *Crines* signifies rather the ringlets and locks of a woman,

Pili.	The hairs of other parts.
Ad cutem tondere.	To clip close the hair.
Capillitium (*vel* capillos) abradere; (*vel* deradere.)	To shave off the hair of the head.
Caput radere; (*vel* circumradere; *vel* attondere; *vel* adradere.)	To shave the head.
Fonticulus purulentus.	An issue.
Fiat fonticulus purulentus, in insterstitiis muscularum brachii; ope ferri vel caustici,	Let an issue be made in the intervals of the muscles of the arm; by the lancet or caustic.
Setaceum.*	A seton.
Inseratur setaceum nuchæ capitis.	Let a seton be inserted in the nape of the neck.
Aura electrica; aura galvanica.	The electric fluid; the galvanic fluid.
Auram electricam efficere (*vel* elicere.)	To electrify.
Per scintillas, vel per ictus.	By sparks or by shocks.
Auram galvanicam trajicere; (trahere *vel* educere.)	To galvanize.

---

than simply and generally the hair; it is, of course, less applicable to medical subjects than *capilli*.

* From *seta*, a bristle; because horse-hairs were first used to keep open the wound.

SECT. VI.

Of Purging, &c.

Dejectiones;* stercus; alvus;† sedes;‡ fæces§.	The stools.
Post alvum exoneratam.	After an evacuation.
Post singulas liquidas dejectiones; Post unamquamque sedem mollem.	After every liquid evacuation.
Alvus fusa; alvus fluens; alvi fluxus; alvus cita; alvus soluta; alvus fluida; dejectiones crebræ; venter liquidus; ventris fluor; catharsis‖; diarrhœa.	Purging.

---

* From "de," *downwards*, and "jacio," *I cast*.

† *Alvus* signifies the bowels; also the stools. It is of the feminine gender.

‡ *Sedis* means, literally, *a seat*; in an extended sense, *the fundament*. It is also applied to that which comes from the fundament, or, in other words, *an evacuation.—Pharmaceutical Guide.*

§ *Fæces*, the nom. pl. from *fæx, æcis*, f. a noun wanting the gen. pl. "We meet with 'Fæces vini,' 'Fæces aceti,' &c. in classical authors, but nowhere 'Fæces hominis;' the word, in this sense, is altogether unnecessary and improper."—*Horæ Subsecivæ.*

‖ *Catharsis* is not found in the Latin dictionaries. It is a Greek word adopted by Latin writers, and means *a purging*. —*Pharmaceutical Guide.*

Alvus dura; alvus suppressa; alvus constipata; alvus adstricta; alvus compacta; alvus tenax.	Costiveness.
Urgentibus torminibus.	The gripings being troublesome.
Desidendi voluntas; dejiciendi cupiditas.	Desire to go to stool.
Alviduca.	Purging medicines.
Ad alvum ducendam; ad alvum solvendam; alvum solvere; ad sedes promovendas; ad plenam alvi solutionem; alvum movere.	To open the bowels.
Ad alvum officii immemorem excitandam.	To excite the bowels unmindful of their office (*i.e.* To excite the constipated bowels.)
Donec alvus dejecerit; donec alvus (probe *vel* bene) responderit; donec venter (ritè) solutus fuerit; donec alvus (commodè) purgetur; donec (amplè) purgaverit; donec alvus subducatur; donec sedes (tres vel quatuor) deponentur.	Until the bowels are opened; (well; thoroughly; sufficiently; freely; three or four times.)
Nisi alvus sit interèa copiosè soluta.	Unless the bowels shall have been copiously evacuated in the mean time.
Ad alvum contrahendam; alvum astringere *vel* supprimere.	To bind the bowels.

Donec alvus prematur (*vel* fiat durior *vel* astrictior.)	Until the bowels are bound.
Clysma; enema; lavamentum intestinorum.	A clyster.
Suppositorium.	A suppository.
Cupiditas urinæ; micturitio.	A desire of making water.

SECT. VII.

Vomiting; Sweating; Sneezing.

Emeticum; vomitorium;	An emetic.
Vomitio; vomitus.	Vomiting.
Vomitum concitare; (*vel* excitare; *vel* proritare.)	To produce vomiting.
Donec evomuerit; donec (*probe*) vomat.	Until the patient vomit (well.)
Si supervenerit vomitus.	If vomiting should come on.
Vomitione urgente.	The vomiting being troublesome.
Ad vomitum sedandum; ad vomitum compescendum.	To allay vomiting.
Donec sedantur vomitiones.	Until the vomitings are allayed.
Sudor.	Sweat.
Sudores citare; (*vel* elicere; *vel* movere; *vel* præstare;) ad sudorem promovendum; ad diaphoresin ciendam.	To excite sweating.
Sudatio.	A sweating.
Donec sudor prodeat.	Until sweating is produced.

Ad sudorem compescendam.	To diminish sweating.
Sternutatio; sternutamentum.	A sneezing.
Sternutamenta citare; (*vel* excitare; *vel* movere; *vel* facere.)	To excite sneezing.
Ducere naribus ut sternutamentum excitetur.	To snuff up the nostrils that sneezing may be induced.
Aliquantillum naribus insufletur.	Let a little be snuffed up the nostrils.

SECT. VIII.

Bathing; Fomenting.

Balneum.*	A bath.
Balneum calidum; balneum tepidum; balneum frigidum (*vel* frigidarium.)	A hot or warm bath; a tepid bath; a cold bath.†
Vaporarium; (*vel* balneum vaporis.)	A vapour bath.
Balneum siccum.	A dry bath.‡
Balneum medicatum.	A medicated bath.
Semicupium; excathisma, (*vel* encathisma; insessio, *vel* insessus.)	A half bath, (or such as receives only the hips or extremities.)

---

* *Balneum*, I believe, is never correctly used to signify any other "than a heated bath, for the purpose of bathing the body, and that in a private house."—*Horæ Subsecivæ.*

† The temperature of the warm bath is from 93° to 96° of Fahr. The range of temperature of the tepid bath is from the lowest degree of the warm bath to the highest degree of the cold bath; in general, it may be said to be about 90°.

‡ Those applications are termed *dry baths* which are made of ashes, salt, sand, &c.; thus balneum arenosum (*or* arenæ,) balneum cinereum, &c.

Thermæ; balnea mineralia.	Warm baths (mineral or spring.)
Coxæluvium; manuluvium.	The hip bath; the hand bath.
Pediluvium; capitiluvium.	The foot bath; a bath for the head.
Impluvium.	The shower bath.
Demittere in balneum; descendere in balneum; ire in balneum.	To go into a bath.
Uti aquis frigidis.	To use the cold bath.
Utatur semicupio ad x vel xij minuta horæ in aquâ adhuc calenti modicè.	Let the patient use the half bath made moderately warm for ten or twelve minutes.
Pedes cruraque in aquam calidam demittere.	To bathe the feet and legs in warm water.
Profundere aquam frigidam corpore.	To use the cold affusion.
Lavare egelid[illegible]a.	To use tepid washing.
Admovere glaciem vel nivem.	To apply ice or snow.
Admovere lintea aquâ frigidâ madefacta, (*vel* madida.)	To apply cloths moistened with cold water.
Fotus; fomentum; fomentatio.	A fomentation.
Fovere; vaporare.	To foment.
Detergere; abstergere; lavare.	To cleanse.
Eluere.	To wash out.

SECT. IX.

The Dose.

Portio; copia; ratio; dosis.	A dose.
Portionibus exiguis *vel* magnis.	In small or large doses.
Portionibus divisis; partitis vicibus.*	In divided doses.
Portionibus repetitis (*vel* iteratis.	In repeated doses.
Ad tres alias vices.	To three other times.
Cochlea.	A spoon.
Cochleare;† cochlearium.	A spoonful.
Cochleare parvulum; (*vel* minimum; *vel* infantis.)	A small, tea, or child's spoonful.
Cochleare modicum; (*vel* medium; *vel* mediocre.)	A middling-sized, dessert, or pap spoonful.
Cochleare magnum; (*vel* largum; *vel* amplum.)	A large or table-spoonful.
Cochleatim.	Spoonful by spoonful.

---

* *Partitis vicibus* is an idiomatical expression, implying "in different doses," or "at different times." *Vicibus* is the ablative plural of *vicis*, and *partitis* the ablative plural of *partitus*, the participle of *partior*.

† *Cochleare* is a neuter noun of the third declension, and is generally used when we wish to signify a spoonful. *Cochlearium* is less frequently used.

Magnitudo; moles; quantitas.	Size or quantity.
Moles nucis moschatæ.	The size of a nutmeg.
Instar* juglandis.	The size of a walnut.
Magnitudo avellanæ.	The size of a filbert.
Magnitudo castaneæ.	The size of a chesnut.
Magnitudo fabæ equinæ.	The size of a horse-bean.
Poculum; cyathus.	A cup.
Cyathus vinarius.	A wine-glass.
Quantum cuspide (*vel* apice) cultri capi potest.	As much as can be taken on the point of a knife.
Quantum satis sit; quantum sufficit *vel* sufficiat; quantum convenit.	As much as may be sufficient.
Quantum velis; quantum lubet	As much as you please.
Quantum sitis exigat.	As much as the thirst may require.
Pugillus.†	As much as may be contained between the thumb and two fingers, (from ʒss to ʒj.)
Manipulus.	A handful.
Sumere; capere.	To take (generally)

---

* *Instar* is indeclinable.

† This and the following word are only met with in some old prescriptions.

Devorare; deglutire.*	To take (as a powder or pill.)
Bibere; sorbere; potare; haurire.	To take (as a draught.)
Lambere; delingere; sublinguam liquare.	To take (as an electuary or lozenge.)
Manducare; mandere; masticare.	To take (as a masticatory.)
Dare; adhibere; exhibere; administrare.	To administer.
In alvum ex parte inferiore injicere; (*vel* dare; *vel* indere; *vel* immittere; *vel* infundere; *vel* adigere.)	To administer (as an injection.)

SECT. X.

Of Time.

Mensis.	A month.
Septimana; hebdomada; hebdomas; hebdoma.	A week.
Dies; lux.	A day.
Hodie; hodierno die.	To day.
Heri; hesterno die.	Yesterday.
Cras; crastino die.	Tomorrow.
Nudius tertius.	The day before yesterday.

---

* *Glutio* (but not *deglutio*) is found in the smaller Latin drctionaries; in larger ones we find "*deglutio*," *vox medicis familiaris*, "I swallow down."—*Pharmaceutical Guide.*

Perendie; Perendino die.	The next day after tomorrow.
Proximâ luce.	The day before.
Quotidianus; indiès; quotidiè; omni die.	Daily or every day.
Alternâ (*vel* secunda) die quâque.	Every other day.
Tertiis diebus.	Every third day.
Biduum vel triduum; quatriduum.	Two or three days; four days.
De die in diem.	From day to day.
Mane;* aurora; tempore matutino; horâ matutinâ.	Morning.
Diluculò; multo mane; primo mane; primo luce; summo mane.	Early in the morning.
Crastino mane.	Tomorrow morning.
Tempus antemeridianus.	Forenoon.
Meridies.	Noon.
Pomeridies.	Afternoon.
Vesper; vespertina; vespere appropinquente.	Evening.
Nox; sero.	Night.
Hâc nocte; nocturnus.	To-night; nightly.
Nycthemerum.	Night and day.
Hesternâ nocte.	Last night.
Horâ somni; horâ decubitus; dormiturus; cubitum iturus; ubi it cubitum.	The hour of sleeping; at bedtime.
Jentaculum.	Breakfast.
Prandium.	Dinner.

* *Mane* is a triptote, having only three cases, the nom. acc. and abl. sing. in all of which it is *mane*, except the ablative, in which *mani*, is sometimes found.

Cœna; tempore cœnandi.	Supper; supper-time.
Hora.	An hour.
In horas; singulis horis; omni horâ.	Hourly; every hour.
Per horam integram.	During an hour.
Sesquihoris.	An hour and a half.
Alternâ horâ; secundâ horâ; bihorio; horis intermediis.	Every other hour.
Trihorio; omnia tertiâ horâ.	Every third hour.
Quadrihorio.	Every fourth hour.
Semihorio.	Every half hour.
Omni quadrante horæ.	Every quarter of an hour.
Horis consuetis.	At the accustomed hours.
Statim; quamprimum; illico; extemplo; jam; jamjam; protinus.	Immediately.
Pro re nata; *pro ut res poscit; pro ut res postulet; identidem; de tempore in tempas; subinde; interdum; aliquando.	Occasionally; as circumstances may require; from time to time; sometimes.
Iterum; rursus; denuo; deinde; de novo.	Again.
Novissimê.	The newest; the last.
Nuperrime.	Very lately.

---

* *Pro re nata* is an idiomatical expression; it signifies "according as circumstances arise," that is "occasionally." (*Pharmaceutical Guide.*) It is said to have been sometimes mistaken by ignorant shopmen, and the medicine sent to puerperal women, marked "For the infant." !—*See Chamberlain's Tyrocinium Medicum.*

SECT. XI.

Of the Names of Parts.

A summo capite ; a vertice.	At the top of the head.
Guttur; jugulum; larynx.	The neck (fore part.)
Nucha;* cervix; cervices.	The neck (back part.)
Collum.	The neck (whole.)
Nucha capitis.	The nape of the neck.
Bucca; gena; mala.	The cheek.
Bronchus; bronchium; *bronchia; bronchius.*†	The bronchial tube.
Gula; pharynx; œsophagus.	The gullet.
Uva; uvula.	The uvula.
Humerus.	The shoulder (generally.)
Scapula.	The shoulder (back part.)
Ala; axilla.	The armpit.
Brachium.	The upper arm.
Cubitus.‡	The forearm.
Ancon; caput cubiti.	The elbow.

* *Nucha* is from the Arabic, and signifies *medulla spinalis*, and emphatically its origin and commencement, to which part of the organ the term is applied, in the technical language of the day.—*Good's Nosology.*

† The two latter words, and their plurals, are very generally and improperly used. The Latin terms are derived from the Greek words βρονχος and βρονχιον, which can only make "*bronchus*" and "*bronchium.*"

‡ *Cubitus, ûs*, signifies also a lying down, abed.

Carpus.	The wrist.
Palma; vola.	The palm of the hand.
Metacarpium.	The back of the hand.
Digitus; pollex.	The finger; the thumb.
Thorax.	The chest; (the "*cavity.*")
Sternum; os pectoris.	The breast-bone.
Spina dorsi.	The "backbone."
Dorsum; tergum.	A back.
Abdomen.*	The belly (externally.)
Venter; alvus.	The belly (internally.)
Jecur;† hepar.‡	The liver.
Lien; splen.	The spleen.
Ren.	The kidney.
Inguen.	The groin.
Lumbus.	The loins.
Canalis vulvæ.	The *vagina.*
Coxa; coxendix.	The hip.
Femur; crus.	The thigh; the leg.
Genu; poples.	The knee; the ham.
Patella; mola; rotula.	The kneepan.

---

* From *abdo*, to hide, because it hides the viscera. "Abdomen" is very improperly used, although by reputedly good authors, to signify the *cavity* of the belly; it is evident, from its etymology as well as from its employment, that it should be confined to the parietes.

† *Jecur*, or *jekur*, is a Persian term, copied into Turkish as well as into Latin; in the former being pronounced *jegur*. —*Good's Nosology.*

‡ *Hepar* is from the Greek word ἧπαρ, the liver.

Sura.	The calf.
Mons pedis; malleolus; talus.	The instep; the ancle; the heel.
Planta pedis.	The sole of the foot.
Digiti pedis.	The toes.

SECT. XII.

Variæ.

Sanare; ad sanitatem perducere.	To cure.
Morbum curtare; ad morbum curtandum.	To shorten the disease.
Ad recidivum præcavendum.	To prevent a relapse.
Dolorem sedare (*vel* lenire.)	To allay (*or* relieve) pain.
Somnum facere.	To produce sleep.
Efficere ut quiescat; ad quietam conciliandam.	To keep quiet.
In lecto collocare.	To put to bed.
Urinam excitare.	To increase the flow of urine.
Menstrua evocare.	To promote the menses.
Ad aptam crassitudinem; ad aptam mollitiem; ad idoneam spissitatem; ad debitam spissitudinem; ad debitam tenacitatem.	To a proper consistence.
Ad gratam aciditatem; (*vel* acerbitatem.)	To an agreeable acidity.

Ad acorem compescendum.	To moderate the acidity.
Acorem, ardoremque corrigere.	To correct the acidity and heat (of the stomach.)
Ad gustum conciliandum.	To please the palate.
Gratam saporem reddere.	To an agreeable taste.
Ad fœtorem obstandum.	To prevent fœtor.
Caput sublime habere.	To raise the head.
Os fumigare.	To fumigate the mouth.
Valetudinarium et vestimenta fumigare.	To fumigate the sick room and the clothing.
Inhalare vapores aquæ tepidæ (*vel* calidæ.)	To inhale the vapour of warm water.
Urgente dolore vel tussi.	The pain or cough being troublesome.
Molestante languore aut flatulentiâ.	The languor or flatulence being troublesome.
Febre aggrediente; febre absente; febre durante, (*vel* adstante, *vel* astante;) durante febris exacerbatione.	When the fever is coming on; when the fever is absent; during the fever.
Concusso prius vitro; phialâ prius concussâ; vase prius agitato; ante usum concutiendo lagenam.	The bottle being previously shaken.

Ventriculo jejuno; stomacho vacuo.	The stomach being empty.
Peractâ effervescentiâ.	The effervescence being finished.
Perstante ardore urinæ.	The heat in making water continuing.
Durante lucidâ remissione.	During a lucid remission.
Dolore rheumatico torquente.	The rheumatic pain being troublesome.
Dosi pedetentim crescente.	Gradually increasing the dose.
Tussi ingravescente.	The cough increasing.
Conscendens navem.	Going on board ship.
Durante fluxu cruento.	During the bloody flux.
Pro casus exigentiâ; pro rei exigentiâ.	According to the urgency of the case.
More solito; modo præscripto.	In the accustomed manner; in the manner prescribed.
Accuratè pensi.	Accurately weighed.
Ope penicilli camelini.	By the assistance of a camel's hair pencil.
Ope infundibuli.	By means of a funnel.
Ope calami.	By means of a reed *or* pipe.

Per fistulam vitream.	Through a glass tube.
Ope syphonis eburnei.	By means of an ivory syringe.
Ope spongiolæ.	By means of a sponge.
Ope bacilli lignei.	By means of a wooden rod.
Si tussis increbuerit; si tussis accreverit.	If the cough should increase.
Si vigiliæ anxerint.	If the watchings should be troublesome.
Si pervigilium supervenerit.	If intense watching should come on.
Si malum arthriticum redintegraverit.	If the arthritic (gouty) pain should be renewed.
Si non dormit.	If the patient do not sleep.
Si maxime augeat dyspnœa aut tussis.	If difficulty of breathing, or cough, should be very troublesome.
Si conqueritur dolorem.*	If the patient should complain of pain.
Si tenesmus iterum redierit.	If *tenesmus* should again return.
Si vires sinant.	If the strength permit.
Si malum urget.	If the pain should be urgent.

* *Conqueritur de dolore* is less proper than *conqueritur dolorem*.

Si sitiat.	If the patient be thirsty.
Si spasmus ventriculi aderit.	If the spasm of the stomach be present.
Si minetur morbus.	If the disease threaten.
Donec afficiantur gingivæ.	Until the gums are affected.
Donec gingivæ intumescant	Until the gums become swollen.
Donec ptyalismus cieatur.	Until ptyalism is produced.
Donec abierit spasmus.	Until the spasm is removed.
Donec evanescant symptomata.	Until the symptoms disappear.
Donec excitentur pustulæ.	Until pustules are produced.
Donec dolor mitescat.	Until the pain mitigates.
Donec somnus obrepat.	Until sleep come on
Donec æger convalescat.	Until the patient is well.
Donec singultus et nisus ad vomitum cessaverint.	Until the hiccup & attempts to vomit shall have ceased.
Cibus.	Diet (food.)
Victus; diæta.	Diet (course of food.)
Cibus plenus, liberalis ex carnibus, (*vel* cibus animalis.)	Full and animal diet.
Cibus tenuis, exiguus ex frugibus, (*vel* cibus vegetabilis.)	Spare and vegetable diet.
Diæta mediocris.	Middling diet.

Jus; jusculum; puls.	Broth; gruel.
In jusculo calido.	In warm broth.
In poculo jusculi bovini.	In a cup of beef-tea.
Ex jure vitulino.	In veal broth.
In jusculo ovillo.	In mutton broth.
In jusculo avenaceo.	In gruel.
In sero lactis vinosi.	In wine whey.
In lacte vaccino.	In cows' milk.
In lacte asellæ; in lacte asinino.	In asses' milk.
Ex gelatinâ ribesiæ.	In currant jelly.
Ex melle pinguive ullo humore	In honey or any thing thick.
Exgelatinâ vituli	In calf's feet jelly.
In quovis vehiculo crasso.	In any thick vehicle.
In quovis grato vehiculo.	In any agreeable vehicle.
Mitte in narthecio, (*vel* in olla fictili); in ollula.	Send it in a gallipot; in a little pot.
In pyxide; (*vel* pyxidiculâ; *vel* scatulâ.*)	In a pill or lozenge box.
Dentur in chartis.	Let them be sent in papers.
Cerevisia; cerevisia familiaris; cerevisia Londinensis; cerevisia tenuis.	Beer; porter; table beer.
Pro potu commune; pro potu ordinario.	For common drink.

* This word is seldom made use of now; it is met with in *Gaubius*.

2. *Abbreviations frequently met with in Prescriptions.*

A. Aa. Ana, of each ingredient. *A.* or *Aa* is used for brevity.

Abdom. Abdomen, the belly; *abdominis,* of the belly; *abdomini,* to the belly.

Abs. febr. Absente febre, in the absence of the fever.

Ad 2 vic. Ad duas vices, at twice taking.

Ad 3 tiam vicem. Ad tertiam vicam, for three times.

Ad gr. acid. Ad gratam aciditatem, to an agreeable sourness.

Ad def. animi. Ad defectionem animi, to fainting.

Ad libit. Ad libitum, at pleasure.

Add. Adde, or *addantur,* add, or let be added; *addendus,* to be added; *addendo,* by adding.

Adjac. Adjacens, adjacent.

Admov. Admove, or *admoveatur,* or *admoveantur,* apply or let be applied.

Adst. febre. Adstante febre, when the fever is on.

Adv. Adversum, against.

Aggred. febre. Aggrediente febre, while the fever is coming on.

Altern. horis. Alternis horis, every other hour.

Alvo adst. Alvo adstricta, when the belly is bound.

Aq. bull. Aqua bulliens, boiling water.

Aq. pluv. Aqua pluvialis, rain water.

Aq. ferv. Aqua fervens, boiling water.

Aq. font. Aqua fontalis, spring water.

Bis ind. Bis indies, twice a day.

BB. Bbds. Barbadensis, Barbadoes.

B.M. Balneum Mariæ, or *Balneum Maris*, a warm water bath.

Bull. Bulliat, or *bulliant*, let boil.

B.V. Balneum vaporosum, a vapour bath.

Cærul. Cæruleus, blue.

Cap. Capiat, let the patient take.

Calom. Calomelas, (from καλος good, and μελας black, so called from its virtues and colour,) calomel, or the submuriate of mercury. Formerly this term was applied to the æthiops mineral (*hydrargyri sulphuretum nigrum.*)

C.C. Cornu cervi, hartshorn. *Cucurbitula cruenta*, a cupping glass.

C. C. U. Cornu cervi ustum*, burnt hartshorn.

C. v. Cras vespere, tomorrow evening.

C. m. Cras mane, tomorrow morning.

C. n. Cras nocte, tomorrow night.

Coch. ampl. Cochleare amplum, a large spoonful.

Coch. infant. Cochleare infantis, a child's spoonful.

Coch. magn. Cochleare magnum, a large spoonful.

Cochl. med. Cochleare medium, a dessert spoonful.

Coch. mod. Cochleare modicum, a dessert spoonful.

Coch. parv. Cochleare parvum, a small spoonful.

Col. Colatus, strained.

Colat. Coletur, let it be strained; *colaturæ*, of or to the strained liquor.

Colent. Colentur, let them be strained.

Comp. Compositus, compounded.

---

* *Cornu*, like all other nouns in *u*, is indeclinable in the singular, but regular in the plural; as plural *cornua*, *uum*, &c.

Cont. rem. *Continuentur remedia,* let the medicines be continued.

Coq. *Coque,* boil; *coquantur,* let them be boiled.

Coq. ad med consumpt. *Coque ad medietatis consumptionem,* boil to the consumption of half.

Coq. S. A. *Coque secundum artem,* boil according to art.

Coq. in S. Q. *Coque in sufficiente quantitate aquæ,* boil in a sufficient quantity of water.

Crast. *Crastinus,* for tomorrow.

Cuj. *Cujus,* of which.

Cujusl. *Cujuslibet,* of any.

Cyath. theæ. *Cyatho theæ,* in a cup of tea.

Deaur. pil. *Deaurentur pilulæ,* let the pills be gilt.

Deb. spiss. *Debita spissitudo,* a proper consistence.

Decub. *Decubitus,* of lying down.

De d. in d. *De die in diem,* from day to day.

Dej. alvi. *Dejectiones alvi,* stools.

Det. *Detur,* let it be given.

Dieb. alt. *Diebus alternis,* every other day.

Dieb. tert. *Diebus tertiis,* every third day.

Diluc. *Diluculo,* at break of day.

Dim. *Dimidius,* one half.

Dir. prop. *Directione propria,* with a proper direction.

Donec alv. bis dej. *Donec alvus bis dejiciat,* until two stools have been obtained.

Donec alv. sol. fuer. *Donec alvus soluta fuerit,* until a stool has been obtained.

Ejusd. *Ejusdem,* of the same.

Enem. *Enema,* a clyster; *enemata,* clysters.

Ext. sup. alut. *Extende super alutam,* spread upon leather.

F. *Fac,* make; *fiat, fiant,* let be made.

F. pil. xij. *Fac pilulas duodecim,* make 12 pills.

Feb. dur. *Febre durante,* during the fever.

Fem. intern. *Femoribus internis,* to the inner part of the thighs.

F. venæs. *Fiat venæsectio,* bleed.

F. H. *Fiat haustus,* let a draught be made.

Fist. arm. *Fistula armata,* a clyster pipe and bladder fitted for use.

Fl. *Fluidus,* liquid; also, by measure.

F. L. A. *Fiat lege artis,* let it be made by the rules of art.

F. M. *Fiat mistura,* let a mixture be made.

F. S. A. *Fiat secundum artem,* let it be made according to art.

Gel. quav. *Gelatinâ quâvis,* in any kind of jelly.

G. G. G. *Gummi*† *guttæ Gambæ,* gamboge.

Gr. *Granum,* a grain; *grana,* grains.

Gtt. *Gutta,* a drop; *guttæ,* drops.

Gutt. quibusd. *Guttis quibusdam,* with a few drops.

Har. pil. sum. iij. *Harum pilularum sumantur tres,* let three of these pills be taken.

H. D. or *Hor decub.* *Horâ decubitûs,* at going to bed.

H. S. or *Hor. som.* *Horâ somni,* just before going to sleep; or on retiring to rest.

Hor. un spatio. *Horæ unius spatio,* at the expiration of an hour.

Hor. interm. *Horis intermediis,* at the intermediate hours between what has been ordered at stated times.

Hor. IImâ. *mat.* *Horâ undecimâ matutinâ,* at the eleventh hour in the morning.

Ind. *Indies,* from day to day, or daily.

In pulm. *In pulmento,* in gruel.

---

* Nouns in *i*, as *Gummi*, are for the most part indeclinable in both numbers.

Inj. enem. *Injiciatur enema,* let a clyster be given.

Lat. dol. *Lateri dolenti,* to the side that is affected.

lb. *Libra,* a pound weight.

M. *Misce,* mix; *mensurâ,* by measure; *manipulus,* a handful; *minimum,* a minim.

Mane pr. *Mane primo,* very early in the morning.

Min. *Minimum,* the 60th part of a drachm measure.

Mitt. *Mitte,* send; *mittatur,* or *mittantur,* let there be sent.

Mitt. sang ad ℥xij saltem. Take away at least 12 oz. of blood.

Mod. præsc. *Modo præscripto,* in the manner directed.

Mor. sol. *More solito,* in the usual manner.

Ne tr. s. num. *Ne tradas sine nummo,* do not deliver it unless paid A caution to the shopman, when the presence of the customer prevents the master giving a verbal direction.

N. M. *Nux Moschata,* a nutmeg.

No *Numero,* in number.

O. *Octarius,* a wine pint.

Ol. lini s. i. *Oleum lini sine igne,* cold drawn linseed oil.

Omn. hor. *Omni horâ,* every hour.

Omn. bid. *Omni biduo,* every two days.

Omn. bih. *Omni bihorio,* every two hours.

O. M. or *Omn. man.* *Omni mane,* every morning.

O. N. or *Omn. noct.* *Omni nocte,* every night.

Omn. quadr. hor. *Omni quadrante horæ,* every quarter of an hour.

O. O. O. *Oleum olivæ optimum,* best olive oil.

Oz. The ounce Avoirdupois, or common weight, as distinguished from that prescribed by physicians in their orders.

Part. æqual. *Partes æquales,* equal parts.

P. *Pondere,* by weight.

Ph. D. *Pharmacopœia Dublinensis.*

Ph. E. *Pharmacopœia Edinensis.*

Ph. L. *Pharmacopœia Londinensis.*

Ph. U. S. *Pharmacopœia of the United States.*

Part. vic. *Partitis vicibus,* to be given in divided doses, instead of all at once.

Per. op. emet. *Peractâ operatione emetici,* when the operation of the emetic is finished.

Post sing. sed. liq. *Post singulas sedes liquidas,* after every loose stool.

Ppt. *Præparata,* prepared.

P. r. n. *Pro re nata,* according as circumstances may require.

P. rat. æt. *Pro ratione ætatis,* according to the age of the patient.

Pug. *Pugillus,* a gripe between the finger and thumb.

Q. p. *Quantum placet,* as much as you please.

Q. s. *Quantum sufficiat.* or *quantum satis,* as much as is sufficient.

Quor. *Quorum,* of which.

Q. V. *Quantum vis, quantum voluerit,* as much as you will.

℞. *Recipe,* take. Ancient authors use this sign ♃, being the old heathen invocation to Jupiter, seeking his blessing upon the formula, equivalent to the usual invocation of the poets and of Mahomedan authors, or the Laus Deo with which book-keepers and merchants' clerks formerly began their books of account and invoices, a practice not yet quite extinct.

Red. in pulv. *Redactus in pulverem,* powdered.

Redig. in pulv. *Redigatur in pulverem,* let it be reduced to powder.

Reg. umbil. *Regio umbilici,* the parts near the navel.

Repet. *Repetatur,* or *repetantur,* let be continued.

S. A. *Secundum artem,* according to art.

S. N. *Secundum naturam,* according to nature.

Semidr. *Semidrachma,* half a drachm.

Semih. *Semihora,* half an hour.

Sesunc. *Sesuncia,* an ounce and a half.

Sesquih. *Sesquihora,* an hour and a half.

Si n. val. *Si non valeat,* if it does not answer.

Si op. sit. *Si opus sit,* if there be occasion.

Si vir. perm. *Si vires permittant,* if the strength will bear it.

Signatura, a label.

Sign. n pr. *Signetur nomine proprio,* write upon it the usual name, not the trade name.

S. S S. *Stratum super stratum,* layer upon layer.

Ss. *Semi,* a half.

St. *Stet,* let it stand; *stent,* let them stand.

Sub fin. coct. *Sub finem coctionis,* when the boiling is nearly finished.

Sum tal. *Sumat talem,* let the patient take one like this.

S. V. *Spiritus vinosus,* ardent spirit of any strength.

S. V. R. *Spiritus vini rectificatus,* spirit of wine.

S. V. T. *Spiritus vinosus tenuis,* proof spirit, or half and half spirit of wine and water.

Temp. dext. *Tempori dextro,* to the right temple.*

T. O. *Tinctura opii,* tincture of opium; generally confounded with laudanum, which is properly the wine of opium.

---

* *Tempora,* the temples, although generally used in the plural, yet is sometimes found in the singular.

T. O. C. *Tinctura opii camphorata,* paregoric elixir.

Tra. *Tinctura*, tincture.

Ult. præscr. *Ultimo prescriptus,* the last ordered.

V. O. S. *Vitello ovi solutus,* dissolved in the yelk of an egg.

Vom. urg. *Vomitione urgente,* the vomiting being troublesome.

Zz. *Zingiber,* ginger.

℈. *Scrupulum,* a scruple, equal to 20 grains Troy.

ʒ. *Drachma,* a drachm, equal to 3 scruples; or in liquids the 8th part of an ounce measure.

℥. *Uncia,* an ounce Troy; or in liquids the 16th part of a wine pint.

PART II.

Prescriptions illustrating the Application of the preceding Terms, &c.

FORMS FOR BLOODLETTING, &c.

1.—DETRAHATUR è brachio sanguis ad uncias decem.

2.—Fiat venæsectio, ut fluant sanguinis ℥v.

3.—Opus est venam cubiti secare, ut sanguis fluat ad ℥x.

4.—Ad recidivum præcavendum, detrahatur sanguis pro re nata.

5.—Extrahatur sanguis pleno rivo, ad ℥vj, quamprimum.

6.—Emitte sanguinis ℥xvj saltem, vel ad deliquium.

7.—Dimove sanguinem per saltum, ad ℥x.

8.—Repetatur sanguinis detractio statim, ad eandem quà antea quantitatem.

9.—Detrahantur ex arteriâ temporali sanguinis unciæ sex, quamprimum.

10.—Mittatur sanguis ex largo vulnere, ad ℥x, vel donec æger pallescat vel languescat.

11.—Repetatur sanguinis detractio, et localis et generalis.

12.—Iterum fiat venæsectio, ad defectionem nimi.

13.—Iteretur venæsectio ad ℥vj tantum.

---

14. —Sanguis eodem modo, quo ante, iterum mittendus est, ad uncias vero sexdenas.

15.—Pertundatur vena Brachii, et detrahatur sanguis, ad ℥xx, vel usque ut liquerit animus.

16.—Repetatur venæsectio ad tres alias vices, ad eandem quantitatem, tribus diebus sequentibus, quando dolor et respirandi difficultas suadeant.

17.—Die sequente celebretur iterum venæsectio, ad eandem quantitatem.

18.—Mittatur sanguis è brachio, ad ℥xij, quamprimum; ac postea ex venâ jugulari ad ℥viij.

19.—Sanguis denuò mittendus est, ad ℥x.

20.—Mittatur sanguis illico, ad ℥xij vel ultra.

21.—Mittatur sanguis de novo, et repetatur ad ànimi ferè deliquium.

22.—Extrahatur sanguis è brachio; et eodem die post aliquot horas, vel die sequenti, duabus horis post leve prandium, capiat pulverem emeticum.

23.—Si primæ venæsectioni non cedat morbus, tum repetatur; et nondum cessante, ad duas alias vices celebretur, interposito semper die uno.

24.—Juvabit cruorem iterum mittere ad uncias duodenas sexdenasvè.

25.—Nec non applicentur cucurbitulæ c. ferro nuchæ capitis mittatur sanguis ad ℥xij.

26.—Statim abradatur capillitium, et applicentur cucurbitulæ cruentæ nuchæ.

27.—Applicentur cucurbitulæ cum ferro sub aurem lateris affecti et mittatur sanguis ad ℥iv.

28.—Admoveantur cucurbitulæ cum scarificatione, parti thoracis dolenti pro re nata, et exsugatur sanguis ad ℥viij.

29.—Applica hirudines vj, talo et monti pedis.

30.—Semel in Septimanâ, applicentur temporibus utrinque, hirudines iij.

31.—Hirudines xxiv statim lumbis admoveantur, et quando remoti sunt, cataplasma emolliens applicetur.

32.—Admoveantur hirudines tres singulis temporibus, si adsit dolor capitis.

33.—Applicentur jugulo hirudines iv; et post fluxum sanguinis, applicetur Emplastrum Lyttæ.

34.—Detrahantur de hypochondrio dextro, sanguinis unciæ octo, ope cucurbitularum cruentarum.

35.—Detrahantur ex Ischio affecto, et partibus adjacentibus, ope cucurbitularum cum scarificatione, sanguinis ℥vj.

36.—Applicentur adversum renes, hirudines xij vel cucurbitulæ cruentæ, ut extrahantur sanguinis ℥xij.

37.—Convulsione redeunte, haud aliter, detrahatur sanguis per cucurbitulas tres.

38.—Si dolor perstiterit ad latus, mittantur sanguinis ℥xx è Brachio.

39.—Admoveantur regioni Renum hirudines xij.

40.—Sanguisugæ tres fronti imponantur.

41.—Admoveatur cucurbitula sicca regioni hepatis.

FORMS FOR BLISTERS, &c.

42.—Applica Emplastrum Cantharidis tumori in alâ dextrâ, per spatium xij horarum, vel donec in vesicam manifestò epidermis elata sit.

43.—Applicetur abdomini, Emplastrum Lyttæ super alutam satis latam extensum.

44.—Admoveatur parti thoracis superiori, Emplastrum Lyttæ, et post vesicationem applicetur ceratum sabinæ, ut ulcus perpetuum fiat. Fluxu cessante utatur sequenti

℞. Cerati Sabinæ
Unguenti Lyttæ p. æ.

45.—Admoveatur Emplastrum Lyttæ (ad exemplar) externæ parti gutturis.

46.—Admoveatur capiti raso unguentum cantharidis, usque ad vesicationem.

47.—Admoveatur coxæ vesicatorium, et postea unguentum sabinæ.

48.—Admoveatur prope cartilaginem Thyroideam utrinque, Emplastrum Lyttæ.

49.—Abradatur capillitium, et admoveatur toti capiti Emplastrum Lyttæ.

50.—Applicetur prope articulum femoris superiorem, Emplastrum Lyttæ, super quod, drachma pulveris lyttæ inspergenda est.

51.—Si valde urgeat dyspnœa, applicetur Emplastrum Lyttæ, et fiat ulcus perpetuum ope unguenti sabinæ.

52.—℞ Emplastri Galbani... ℥fs
——— Resinæ....℥ij
Misce. Fiat emplastrum super alutam extendendum, quibus pedes involvantur post pediluvium.

53.—Imponatur nuchæ capitis, vel suris externis, Emplastrum Lyttæ.

54.—Emplastrum Lyttæ collo imponatur quà dolet.

55.—Admoveatur Emplastrum Lyttæ lateri sinistro.

56.—Applicetur emplastrum epispasticum satis amplum et acre, inter scapulas.

57.—℞ Lyttarum in pulverem tenuissimum tritarum.... ʒj
Camphoræ Pulveris .... ʒj
Ceræ Flavæ
Sevi ppt. āā ..... ʒj
Adipis pptæ ..... ℈ij
Cerâ, Sevo, et Adipe simul liquefactis, paulo antequam concrescant, Lyttas et Camphoram insperge, atque omnia misce ut fiat emplastrum epispasticum regioni jecoris applicandum.

58.—Applicetur Emplastrum Lyttæ occipiti. Curetur pars exulcerata unguento sabinæ.

59.—Nata humoris detractio ab emplastro lyttæ, si res postulaverit, promoveatur.

60.—Emplastra duo vesicatoria, brachiis internis infra cubitos, quamprimum applicentur.

61.—Applicetur emplastrum lyttæ genu, et fluxus postea eliciatur ope unguenti sabinæ.

62.—Ceratum Lyttæ partibus excoriatis imponatur, ut natus humor ab emplastro lyttæ promoveatur.

63.—Applicetur gulæ Emplastrum Lyttæ.

64.—Admoveatur Emplastrum Lyttæ propè coxendicem.

65.—℞ Pulveris Euphorbii....℈ss
Cerati Sabinæ.....ʒj
Emplastri Thuris.....ʒss
Simul bene contritis, sit emplastrum scuto pectoris.

66.—Fiat Fonticulus, ex parte vesicatorii ope unguenti sabinæ.

67.—Applicetur Emplastrum Lyttæ scrobiculo cordis, vel regioni epigastricæ.

68.—℞ Ammoniæ Muriatis.... ʒj
Saponis Duri ..... ʒij
Emplastri Plumbi .... ℥ſs
Emplastrum et saponem simul liqua, et paulo antequam concrescent, immisce salem in pulverem tenuem tritum. Extensum super alutam, parti affectæ quamprimum applicetur, et pro re nata repetatur.

69.—Caput tonderi debet, et emplastro vesicatorio circumcirca tegi.

70.—Applicetur regioni singulorum renum, emplastrum lyttæ parvum (magnitudinis nummi semicoronæ).

FORMS FOR MIXTURES, &c.

71.—℞ Vini Aloes ..... ʒi
Infusi Sennæ ..... ℥ifs
Magnesiæ Sulphatis .. ʒiv
Misce. Hujus capiat unciam, horâ septimâ matutinâ; et circiter horam decimam, partem reliquam sumat, si opus fuerit.

72.—℞ Liquoris Ammoniæ Acetat. ℥iv
Liquoris Antimonii Tart.. ʒiv
Tincturæ Cardamomi Co... ʒij
Aquæ Menthæ Piperitæ .. ℥ij
fiat mistura, cujus unciæ duæ omni horæ quadrante calidè sorbeantur, durante frigore.

73.—℞ Tincturæ Valerianæ.... ʒij
Dentur guttæ tres subinde, è cochleare parvulo infusi radicis Valerianæ sylvestris, sub formâ theæ parati.

74.—℞ Liquoris Ammoniæ Acetatis ʒiv
Spiritûs Ætheris Nitrici .. ʒij
Aquæ Menthæ ..... ℥ij
Misce. Capiat cochleare amplum 6tâ quâque horâ durante febre; et absente febre pulverem cinchonæ ut ante.

75.—℞ Infusi Quassiæ .....℥v
Acidi Sulph. dil. .....ʒij
Sorbeat æger ℥j 6tâ quâque horâ ad sudationem compescendam.

76.—℞ Misturæ Amygdalæ.. ℥iv
Syrupi Scillæ ..... ʒiij
Tincturæ Opii ..... gtt. xl
Quod unciatim sumatur, tussi admodum ingravescente.

77.—℞ Infusi Gentianæ Co.... ℥vj
Magnesiæ Sulphatis.... ℥j
Capiat cochlearia tria magna post jentaculum et post prandium quotidie.

78.—℞ Liquoris Ammoniæ Acet. ℥ij
Aquæ Menthæ Virid. .. ℥iv
Syrupi Croci ..... ʒij
Spiritûs Ætheris Nitrici ʒij
Misce. Cochlearia duo magna secundis horis sumantur, sæpius vel rarius pro febris impetûs ratione.

79.—℞ Foliorum Rosæ..... ℥j
Aquæ Ferventis ..... ℥viij
Stent per horam; colaturæ adde succi Limonum, sacchari albi, āā q. s. ad gratam acedinem dulcedinemque.

80.—℞ Tinct. Castorei..... ʒj
Tinct. Opii ..... ʒij
Infusi Aurantii Co..... ℥iv
Misce. Capiat unciam omni horâ, donec sedantur symptomata.

81.—℞ Antimonii Tartarizati.. gr. vj
Aquæ Puræ..... .... ʒiv
Syrupi Rhœados ..... ʒj
Misce. Capiat cochleare minimum subinde, ad nauseam vel vomitum promovendum.

82 ℞.—Sodæ Subcarbonatis .. ʒijſs
Crystallorum Tartari.. ʒiij
Aquæ Puræ ..... ℥viij
Stent in lagena bene obturata, per triduum, et deinde sit in promptu pro potu cathartico.

83.— Sodæ Carbonatis..... ʒij
Ferri Sulphatis..... gr. iij
Magnesiæ Subcarb..... ʒj
Aquæ Puræ ..... Oſs
Acidi Sulphurici diluti fʒx
Infundatur primum lagenæ aqua, dein immittantur salina, et denique acidum sulphuricum; illico obturetur lagena, et in loco frigido servetur.

84.—℞ Magnesiæ Subcarbonatis.. ʒij
Pulveris Rhei ..... ʒj
Aquæ Menthæ viridis.... ℥vj
Syrupi ..... ʒij
Misce. Capiat unciam omni horâ, donec leniatur dolor.

85.— Infusi Rhei..... ℥vj
Magnesiæ Sulphatis.... ℥j
Misce. Fiat mistura cathartica in promptu servanda.

86.—℞ Decocti Lichenis ..... Oj
Sumat æger poculum, omni bihorio.

87.—℞ Magnesiæ Carbonatis.... ʒj
Aquæ Menthæ..... ℥vj
Tincturæ Opii ..... ʒj
Misce Sumat cochlearia duo, dum flatus infestat.

88.—Capiat cochlearia duo ampla aquæ menthæ piperitæ, omni horâ, donec singultus et nisus ad vomitum cessaverint.

89.—℞ Tincturæ Digitalis.... ʒiij
Acidi Prussici ..... gtt. xx
Misce. Hujus capiat guttas xx ter die, ex cyatho aquæ frigidæ, dosin sensim augendo, pro-ut caput aut ventriculus ferre queat.

90.—℞ Magnesiæ Carbonatis ... ʒj
Pulveris Rhei ..... gr. xv
Aquæ Anethi..... ℥iſs
Misce, fiat julepium, cujus unum cochleare minimum infantulo lactenti detur, secundis horis; phialâ agitatâ.

91.—℞ Misturæ Ammoniaci.... ℥vj
Tincturæ Opii ..... ʒj
Misce. Capiat cochlearia duo magna statim: iterentur post horam, si tussis accreverit.

92.—℞ Decocti Hordei ..... ℥x
Olei Olivæ ..... ℥ij
Mucilaginis Acaciæ ... ℥j
Tere oleum cum mucilagine donec probè coiverint, tum sensim adde decoctum ut fiat enema. Interdum addere liceat Magnesiæ Sulphatis ℥j.

93.—℞ Spiritûs Ammoniæ..... ʒj
Tincturæ Assafœtidæ.... ℥ss
Syrupi Croci ..... ℥ss
Aquæ Cinnamoni ..... ℥j
Misce. Exhibe cochleare parvum ter quaterve de die, vel sæpius, urgente convulsione vel spasmo.

94.—℞ Misturæ Cretæ ..... ℥vj
Tincturæ Opii ..... ʒj
Fiat mistura, cujus sumantur cochlearia tria magna post singulas dejectiones liquidas.

95.—℞ Sodæ Sulphatis ..... ℥iſs
Sodæ Phosphatis ..... ℥j
Syrupi Rhamni ..... ʒiv
Aquæ Menthæ ..... ℥vj
Misce. Sumet unciam statim, et repetatur dosis post horas duas, nisi alvus prius responderit.

96.—℞ Syrupi Papaveris ..... ʒiv
Aquæ Menthæ ..... ℥iv
Tincturæ Scillæ ..... ʒj
Fiat mistura, cujus cochlearia duo, pro dosi, sumantur urgente tussi.

97.—℞ Tincturæ Hyoscyami.... ʒiſs
Potassæ Acetatis ..... ʒiv
Syrupi Croci ..... ʒij
Aquæ Anisi ..... ℥vj
Fiat mistura, cujus sumantur cochlearia duo vel tria minima, bis tervè in die, vel ut opus sit.

98.—℞ Ipecacuanhæ Radicis pulveris ʒiſs
Potassæ Supertartratis..... ʒj
Aquæ ferventis..... fʒiijſs

Macera per horam integram, dein cola et adjice.

Syrupi ..... f℥ss

Misce. Detur semuncia vel cochleare amplum, omni semihorâ, donec vomitum proritaverit.

99.—℞ Tincturæ Opii ..... ʒj
Misturæ Cretæ ..... ℥vj

Misce. Capiat cochlearia duo magna omni quadrante horæ.

100.—℞ Decoct. Aloës Comp .... ℥iv
Magnesiæ Sulphatis .... ℥iss

Misce. Cochlearia duo ampla intermissionis tempore sumantur, ita ut purgatio ex toto cessaverit, ante accessum paroxysmi.

101.—℞ Infusi Rosæ..... f℥vj
Magnesiæ Sulphatis .... ℥ss

Fiat Mistura: sumat cochlearia duo ampla statim, et intervallo horarum quatuor repetat nisi prius dejecerit alvus.

102.—℞ Sodæ Tartarizatæ ..... ℥ij
Aquæ Menthæ ..... ℥viij
Misce. Capiat cochlearia duo ampla omni bihorio, ad sedes promovendas.

103.—℞ Plumbi Acetatis..... gr. iv
Aquæ Distillatæ..... ℥iv
Syrupi Papaveris ..... ʒiij
Misce. Capiat cochleare amplum mane quotidie; repetatur dosis ad tres vices, et deinde capiat æger haustum aliquem purgantem.

104.—℞ Magn. Sulph. ..... ℥iſs
Acidi Sulph. dil..... ʒiſs
Aquæ Menth. Pip..... ℥vi
Syrupi Rhæados..... ʒij
Misce. Hujus misturæ sumantur cochlearia quatuor, omnibus tribus horis, donec venter ritè solutus fuerit.

105.—℞ Infusi Sennæ ..... ℥j
Magnesiæ Sulphatis .... ℥ſs
Misce. Capiat quartâ quâque die.

℞ Tincturæ Valerianæ .... ʒſs
Tincturæ Assafœtidæ .. gtt. xx
Aquæ Puræ..... ℥ij
Misce. Capiat cochlearia duo magna, in languoribus, præcipuè diebus purgationi deditis.

106.—℞ Misturæ Amygdalæ .... ℥vj
Tincturæ Opii..... ʒſs
Misce. Capiat cochlearia magna duo, quartâ quâque horâ, si tussis increbuerit.

107.—℞ Antimonii Tartarizati.... gr. iij
Infusi Sennæ ..... ℥iij
Aquæ Pimentæ ..... ℥iv
Misce. Repetantur cochlearia duo ampla omni semihorâ, donec supervenerit vomitus, vel alvus dejecerit.

108.—℞ Tincturæ Jalapæ ..... ʒiv
Potassæ Sulphatis ..... ℥ſs
Aquæ Menthæ ..... ℥vj
Misce. Sumat cochlearia majora duo, omni quadrante horæ, donec alvus copiosè responderit.

109.—℞ Lichenis Islandici ..... ℥j
Aquæ frigidæ ..... Oj
Coque ad uncias duodenas; stet ut geletur, et utatur æger gelatinæ ad libitum.

110.—℞ Lactis Vaccini ..... Oj
Sinapis Sem. contusorum ℥j
Coquantur simul, donec pars casearia in coagulum abierit, deinde coletur serum, et hujus sumatur cyathus subinde.

111.—℞ Liquoris Ammon. Acet.. ℥iv
Tincturæ Opii ..... ʒſs
Aquæ Menthæ..... ℥vj
Misce. Capiat cochlearia duo, invadente paroxysmo caloris in febribus intermittentibus.

112.—℞ Infusi Sennæ..... ℥vj
Sumat primò, omni quadrante horæ, cochleare; dein assumptionis vices protrahantur, ad horam, et ultra pro successu.

113.—℞ Liquoris Ammoniæ Acetat. ℥iv
Liquoris Antimonii Tart.. ʒij
Aquæ Menthæ ..... ℥iv
Misce. Sumat omni horâ amplum cochleare, donec sudor prodeat.

114.—℞ Decocti Aloes compos .. ℥vj
Capiat æger cochlearia tria ampla pro re nata; postea augendo, minuendovè quantitatem, prout sedes pauciores pluresvè promoverit.

115.—℞ Cretæ præparatæ ..... ʒj
Tincturæ Opii ..... ʒſs
Aquæ Cinnamomi..... ℥vj
Misce, et agitando phialam, dentur cochlearia duo, secundâ quâque horâ, serius vel citius ut res postulet, dum vexant ventriculi tormina vel vomitus.

116.—℞ Vini Ipecacuanhæ ..... ℥j
fiat haustus, statim sumendus.
℞ Misturæ Amygdalæ .... ℥vj
Tincturæ Opii..... ʒj
Misce. Capiat cochlearia duo ampla, sub finem vomitionis.

117.—℞ Tincturæ Rhei.....ʒj
Tincturæ Gentianæ .... ℥fs
Aquæ Pimentæ ..... ℥iv
Syrupi Croci ..... ℥j
Fiat mistura, cujus sumat æger cochlearia duo, urgente ventriculi dolore, flatu, nauseâ, vel languore.

118.—℞ Tincturæ Opii..... ʒfs
Tinct. Cardamom ..... ℥fs
Syrupi Croci..... ʒiv
Aquæ Cinnamomi ..... ℥vj
Misce. Capiat cochlearia duo maxima, post singulas vomitiones vel sedes liquidas.

119.—℞ Decocti Cinchonæ ..... ℥vj
Acidi Sulphurici Diluti.. ʒj
Syrupi Aurantiorum ... ℥fs
Misce. Hujus misturæ, cochlearia quatuor, horis duabus interpositis, sumantur, ad sudationes diminuendas.

120.—℞ Tincturæ Opii..... ʒfs
Confectionis Aromaticæ.. ʒj
Aquæ Menthæ Piperit .. ℥vj
Fiat Mistura, cujus sumantur cochlearia tria magna, post unamquamque sedem mollem: phialâ priùs concussâ.

121.—℞ Spiritûs Ammoniæ..... ʒj
Tincturæ Castorei ... .. ʒiij
Spiritûs Lavendulæ .... ʒij
Aquæ Pimentæ ..... ℥j
Fiat mistura, cujus drachmæ duæ, pro re natâ, ingerantur, contra languorem, et deliquium.

122.—℞ Infusi Sennæ ..... ℥vj
Tincturæ Jalapæ..... ʒvj
Misce. Sumantur cochlearia tria ampla, singulis horis, ad plenam alvi solutionem.

123.—Perstet in usu misturæ catharticæ, donec alvus ter quaterve plenè responderit.

124.—℞ Misturæ Ammoniaci ....℥vj
Capiat æger cochleare magnum bis in die, ex poculo jusculi bovini; contra raucedinem.

125.—℞ Tincturæ Scillæ ..... ʒj
Mucilaginis Acaciæ .... ℥j
Tincturæ Opii ..... ʒj
Misce; fiat mistura, de quâ subindè capiat drachmam unam guttatim, ad gulam emolliendam, et expuitionem promovendam.

126.—℞ Ammoniæ Carbonatis.... ʒj
Tincturæ Cardamomi... ℥j
Syrupi Rhæados..... ʒij
Aquæ Menthæ Piperitæ ℥iv
Fiat mistura, de quâ capiat unum cochleare largum, si pustulæ evanesceant.

127.—℞ Liquoris Ammoniæ Acet. ℥j
Liquoris Antimonii Tart. ʒj
Aquæ Menthæ Sativæ .. ℥iv
Syrupi Croci ..... ʒj
Fiat mistura, de quâ unum cochleare largum, secundis vel tertiis horis exhibeatur; sæpiùs rariusvè prout febris vehementior vel mitior fuerit.

128.—℞ Tincturæ Assafœtidæ.... ʒij
Ammoniæ Carbonatis.... ʒſs
Aquæ Pulegii ..... ℥iv
Fiat mistura, de quâ capiat cochleare unum vel cochlearia duo in languoribus, vel sudoribus frigidis, vel frigoris paroxysmis.

129.—℞ Infusi Lini ..... Oj
Magnesiæ Sulphatis ..... ℥j
Misce. Dosis tres quatuorve cyathi.

130.—℞ Potassæ Supertartratis .. ℥j
Olei Limonis..... gutt. xv
Sacchari purificati ..... ℥ij
Aquæ bullientis ..... Oij

Misce. Usurpetur pro potu communi, ubi æger intensâ siti vexatur.

131.—℞ Pulveris Jalapæ..... ʒj
Pulveris Zingiberis ..... gr. xx
Magnesiæ Sulphatis ..... ℥j
Aquæ Puræ..... ℥vj

Misce. Cochleare unum singulis horis exhibeatur, quâque vice phialam agitando, ut permisceatur pulvis.

132.—℞ Corticis Cinchonæ ..... ℥iſs
Magnesiæ Sulphatis..... ℥ij
Aquæ Puræ..... .. Oij

Coque per sextam partem horæ in vase leviter clauso, et liquorem adhuc calentem cola; sub finem adde Syrupi Absinthii ℥ij. Tertiâ vel quartâ quâque horâ cyathus unus exhibeatur, intermissionis tempore.

133.—℞ Infusi Gentianæ ..... ℥vj
Magnesiæ Sulphatis..... ℥ij
Misce. Usurpetur ad ℥ij bis vel ter in die, longe à pastu et maxime jejuno ventriculo.

134.—℞ Decocti Hordei..... Oſs
Nitri purificati..... ʒſs
Misce. Duabus vel tribus exhibeatur vicibus, duarum horarum intervallo.

135.—℞ Spiritûs Ammoniæ Arom. ʒj
Liquoris Ammoniæ Acet. ℥iv
Tincturæ Opii..... ʒj
Aquæ Pimentæ .... ℥iv
Misce, et divide in haustus quatuor, quorum, unus usurpari potest, si pulsus languescat, vel pústulæ subsiderint.

136.—℞ Tincturæ Opii ..... ʒj
Aquæ Menthæ Piperitæ.. ℥vj
Syrupi Croci ..... ʒij
Misce. Singulis sesquihoris cochleare exhibeatur.

137.—℞ Tincturæ Opii..... ʒj
Syrupi Croci ..... ʒj
Tincturæ Cardamomi.... ʒij
Aquæ Cinnamomi ..... ℥vj
Misce. Cochleare unum exhibeatur, dosisque iteretur, prout urgeat morbus.

138.—℞ Liquoris Ammoniæ Acet. ℥ij
Tincturæ Opii ..... ʒj
Liquoris Antimonii Tart. ʒj
Aquæ Menthæ ..... ℥ij
Misce, et in tres quatuorve doses divide, cujus una omni bihorio in insultuum remissione sumenda.

139.—℞ Vini Colchici ..... ʒij
Tincturæ Jalapæ ..... ʒj
Infusi Sennæ..... ℥ij
Misce. Ista dosis, in duas partes dividi potest, quarum una mane, altera sero exhibeatur.

140.—℞ Tincturæ Opii..... ʒj
Aquæ Menthæ ..... ℥iv
Syrupi Croci ..... ʒij
Misce. Capiat unciam donec incipiat leniri dolor.

141.—Ætheris cochleare minimum urgente flatu in aquâ menthæ piperitæ sumendum.

142.—℞ Decocti Cinchonæ ..... ℥ij
Tincturæ Myrrhæ ..... ℥ss
Acidi Muriatici ..... q. s.
ad gratam acerbitatem reddendam.

143.—℞ Tincturæ Sennæ..... ℥j
Tincturæ Jalapæ ..... ʒij
Aquæ Pimentæ ..... ℥ij
Misce. Capiat dimidium statim, et semihorâ elapsâ, quod reliquum est.

144.—Prætermittatur mistura salina.

145.—Capiat Tincturæ Opii guttas xxx horâ somni, et repetantur omni 3tia horâ perstante dolore et spasmo.

146.—℞ Tincturæ Castorei ..... ʒij
Tincturæ Serpentariæ ... ʒij
Aquæ Pimentæ ..... ℥ij
Misce. Capiat cochleare modicum, 4tis horis, aggrediente febre.

147.—℞ Infusi Sennæ ..... ℥iv
Magnesiæ Sulphatis .... ʒj
Misce. Ex hoc mixto, primo die, cochleare unum, altero die, duo, et sic deinceps propinentur.

148.—℞ Sarsaparillæ Radicis
Zingiberis Radicis contus. āā ℥ſs
Sassafras radicis concisæ .. ℥j
Coque leni igne in aquæ fontanæ Oiv, ad dimidiam consumptionem ut fiat decoctum, cujus bibat ſ℥viij modicè tepefacti post bolum, et mane repetatur in lecto ad diaphoresin ciendam.

149.—℞ Acidi Sulphurici diluti .. ℥ſs
Syrupi Rhæados..... ʒij
Tincturæ Cardamomi.... ʒij ;
fiat Mistura, cujus sumat cochleare minimum, sextis horis, in quovis vehiculo grato.

150.—℞ Spiritûs Ammoniæ Arom. ʒj
Tincturæ Cardomomi ... ʒij
Tincturæ Castorei ..... ʒj
Aquæ Pulegii ..... ℥iv
Sumat opprimentæ languore, cochlearia ampla duo.

151.—℞ Tincturæ Castorei
Tincturæ Myrrhæ āā ... ʒj
Mist. Amygdalæ ..... ℥vj
Syrupi Croci ..... ʒj
Misce. Sumat cochlearia quatuor ampla, manè, meridiè, et horâ somni, ad biduum vel triduum; quo elapso, et uno tantum die interjecto, sumat Potionem emeticam sequentem manè, superbibendo Infusi Florum Anthemidis q. s. ad vomitiones quater aut quinquies proritandas, cum debito regimine.

---

152. ℞ Vini Ipecacuanhæ ..... ʒj
Antimonii Tartar ..... gr. ij
Misce; et fiat Potio.

153.—℞ Sodæ Tartarizatæ ..... ℥ss
Tincturæ Rhei ..... ℥ss
Syrupi communis ..... ʒij
Aquæ Pimentæ ..... ℥vj
Fiat mistura, cujus capiat æger cochlearia tria magna omni bihorio donec alvus purgetur.

154.—℞ Aquæ Pluvialis ..... ℥ij
Antimonii Tartarizati ... gr. iij
Solve; hujus danda sunt cochlearia duo mediocria singulis horæ quadrantibus, donec vomitus sequatur.

155.—℞ Infusi Sennæ..... ℥vj
Tincturæ Sennæ ..... ℥ss
Magnesiæ Sulphatis.... ℥j
Fiat mistura, cujus capiat æger cochlearia duo magna, bis terve in hora, donec adsit catharsis.

156.—℞ Catechu ..... ℥ss
Aquæ Puræ ..... ℥xij
Coque ad ℥vj; stent donec fæces subsiderint: liquoris partem limpidam cautè effunde.

157.—℞ Decocti Alöes ..... ℥vj
Sodæ Sulphatis..... ℥ss
Fiat mistura, cujus sumat æger cochlearia duo ordinaria, secundâ quâque horâ, donec amplè purgaverit.

158.—℞ Acidi Nitrici ..... ʒj
Aquæ Distillatæ ..... ℥xij
Syrupi Aurantii ..... ℥iss
Fiat mistura, quotidie sumenda, ope tubuli vitrei, partitis haustibus.

159.—℞ Balsami Copaivæ ..... ℥ss
Vitellum unius ovi
Sacchari purificati..... ℥j
His bene subactis terendo, adde paulatim Aquæ Menthæ viridis ℥vj ut fiat emulsio.

160.—℞ Misturæ Cretæ ..... ℥iv
Capiat infans cochleare minimum tertiâ quâque horâ.

161.—Capiat æger unciam dimidiam Infusi Sennæ pro dosi, ex cyatho parvo decocti hordei.

162.—Capiat æger cyathum vinosum parvum Infusi Gentianæ, secundâ quâque horâ.

163.—℞ Infusi Sennæ..... ℥vj
Magnesiæ Sulphatis.... ℥j
Fiat mistura, cujus capiat æger partem tertiam omni bihorio donec alvus probe respondeat.

164.—℞ Magnesiæ Carbonatis .. ʒss
Pulveris Rhei ..... ʒj
Aquæ Pimentæ..... ℥vj
Misce. Sumantur cochlearia tria magna post unamquamque sedem mollem; vitro prius concusso.

165.—℞ Sodæ Tartarizatæ..... ʒvj
Aquæ Cinnamomi..... ℥ij
Fiat solutio duabus vicibus sumenda.

166.—℞ Infusi Quassiæ ..... ℥vj
Magnesiæ Sulphatis .... ℥j
Fiat mistura, de quâ capiat æger cochleare unum amplum frequenter, vel bis terve in die.

167.—℞ Tincturæ Opii ..... ʒj
Mucilag. Acaciæ ..... ℥vj
Spiritûs Ætheris Nitr... ʒij
Misce. Bibat cochlearia tria subindè, urgente stranguriâ, aut in languore.

168.—Repetatur mistura pro re nata, si opus erit, ad vomitum sedandum.

169.—℞ Tincturæ Opii ..... ʒj
Syrupi Papaveris ..... ʒij
Aquæ Menthæ ..... ℥vj
Misce. Sumat unciam omni semihorâ, donec dolor mitescat.

170.—℞ Tincturæ Hyoscyami.... ʒij
Tincturæ Castorei..... ʒij
Syrupi Rhæados ..... ʒj
Aquæ Puræ ..... ℥iv
Misce. Sumat drachmas duas omni horâ, si non dormit.

171.—℞ Magnesiæ Subcarbonatis ʒſs
Tincturæ Gentianæ .... ʒiij
Syrupi Aurantii ..... ʒiv
Aquæ Pimentæ..... ℥iv
Misce. Capiat æger, acido infestante, cochleare amplum unum, vel alterum, ex poculo jusculi bovini.

172.—℞ Rasuræ Cornu Cervi .. ℥j
Aquæ ..... Oiv
Coque ad octarios duos, dein liquori colato, adde, Sacchari albissimi quod satis est, et ad usum servetur.

173.—℞ Infusi Sennæ..... ℥vj
Sodæ Sulphatis..... ℥ſs
Syrupi Rhamni..... ʒij

Fiat mistura, detur imprimis uncia una, et interpositis tribus vel quatuor horis, cochleare exhibeatur si fuerit opus, et post duas alias horas repetatur dosis, si alvus antea non moveatur.

174.—℞ Misturæ Cretæ ..... ℥vj
Tincturæ Opii ..... ʒj

Misce. Sumat unum cochleare, singulis semihoris, vel omni horâ, durante fluxu cruento.

FORMS FOR DRAUGHTS, &c.

175.—℞ Magnesiæ Sulphatis.... ℥ij
Infusi Sennæ..... ℥j
Syrupi Rhamni..... ℥j
Misce; fiat haustus, in jusculo calido, partitis vicibus, sumendus.

176.—℞ Infusi Gentianæ ..... ℥j
Tincturæ Cardamomi .. ℥j
Fiat haustus, quem æger sumat, tribus ante prandium horis.

177.—℞ Infusi Sennæ..... ℥j
Sumatur pro re nata; postea augendo minuendove quantitatem, prout sedes pauciores pluresve promoverit.

178.—℞ Spiritûs Ætheris Nitr... gtt. xx
Liquoris Ammon. Acet. ʒij
Aquæ Menthæ ... . ℥j
Fiat mistura salina, cujus capiat cochleare parvum, omni horâ, cursu noctis.

179.—℞ Potassæ Subcarbonatis.. ℈j
Aquæ Puræ ..... ʒx
Aquæ Cinnamomi..... ʒij
Syrupi..... ʒj
Misce. Fiat haustus, cui tempore capiendi, adde succi limonis recentis, cochleare, magnum unum, et in effervescentiâ sumatur.

180.—℞ Antimonii Tartarizati .. gr. ſs
Aquæ Puræ ..... ℥j
Misce ut fiat haustus statim sumendus, et repetatur post horas duas, si non antea ventriculus emeticum rejecerit, vel si alvus non laxata fuerit.

181.—℞ Spiritûs Lavendulæ .... ʒj
Misturæ Camphoræ .... ℥ij
Misce, et fiat haustus, sextâ quâque horâ sumendus, si aderit vel spasma vel pulsûs languor.

182.—℞ Magnesiæ Sulphatis.... ʒij
Acidi Sulphurici ..... gtt. xx
Aquæ Menthæ ..... ℥j
Misce; fiat haustus, crastino mane sumendus.

183.—Perstet in usu haustûs nocturni, heri præscripti.

184.—Sit in promptu, haustus cum vini Colchici drachmâ, horâ somni sumendus, si redintegraverit malum arthriticum, vel involverint vigiliæ inter noctem.

185.—Repetatur porrò haustus inter noctem sine Tincturâ Opii, si vigiliæ involverint vel increbuerit tussis.

186.—℞ Acidi Nitrici diluti .... ℥ss
Spiritûs Ætheris Nitr.. ʒiij
Tincturæ Hyoscyami .. ʒij
Aquæ Puræ .... Oij
Syrupi q. s.

ad acorem compescendum, et gustum conciliandum. Sumat quotidie instar potus, et bibat quantum sitis exigat.

187.—Sumat ægrotus omni mane, si possit, libram dimidiam lactis asini, pro jentaculo.

188.—Capiat æger haustum catharticum proximâ luce navem conscendens; et si post navigationem vomitus supervenerit, bibat æger spiritûs alicujus paululum aquâ commixtum.

189.—℞ Pulv. Rad. Ipecacuanhæ gr. x
Antimonii Tartarizati .. gr. j
Aquæ distillatæ..... ℥ifs

Misce; fiat haustus, horâ nonâ matutinâ sumendus. Vomitu supervenente, bibat æger, vicibus repetitis, Infusi Anthemidis aliquot cyathos. Vomitu finito, capiat pulverem sudorificum.

190.—℞ Infusi Sennæ sescunciam
Potass. Tartratis semunciam
Tincturæ Cinnamomi Co. fʒij
Ex his fiat haustus summo mane deglutiendus. Repetatur idem, tertio quoque die.

191.—℞ Tincturæ Opii ..... gtt. xx
Syrupi cujusvis..... ſʒj
Misturæ Camphoræ .... f℥j
Misce. Capiat æger haustulum hujus-modi, singulis noctibus, horâ solitâ.

192.—℞ Tincturæ Castorei .... gtt. x
Spiritûs Ætheris Nitrici gtt. xv
Potassæ Nitratis ..... gr. vj
Aquæ Pimentæ..... ℥j
Misce. Fiat haustus in promptu habendus, et urgente febris paroxysmo sumendus.

193.—℞ Liq. Ammon. Acet.... ℥ſs
Spiritus Ætheris Sulphuric gtt. xv
Aquæ Menthæ ..... ℥j
Misce; fiat haustus vespere in lecto sumendus.

194.—Sumat æger omni mane guttas ix acidi sulphurici diluti, ex jure vitulino.

195.—℞ Sambuci corticis interioris, manipulum unum
Incoquatur in aquæ Oij ad Oj. Decocti hujus altera medietas mane, altera sero quotidie, assumatur, donec æger convalescat.

196.—Sumat Tincturæ Opii guttas xx, in vehiculo, calido conveniente.

197.—℞ Pulveris Radicis Ipecacuanhæ ℈j
Aquæ Menthæ ..... ʒj
Misce; fiat haustus emeticus. Potione copiosâ puræ aquæ tepefactæ, vomitio benè provocetur.

198.—℞ Infusi Gentianæ ..... ℥j
Fiat haustus mane et horâ quartâ pomeridianâ potandus.

199.—℞ Olei Ricini..... ℥j
Potassæ Subcarbonatis.. gr. vj
Aquæ Pimentæ.... ... ℥j
Fiat secundum artem mistura, pro unâ dosi, quamprimum sumenda.

200.—℞ Misturæ Cretæ..... ℥j
Tincturæ Opii ..... gtt. xv
Fiat haustus vespertino tempore exhibendus.

201.—℞ Inf. Gentian Co. ..... ℥j
Magn. Sulph. ..... ʒij
Fiat haustulus primo mane ebibendus.

202.—℞ Tincturæ Opii ..... gtt. xv
Syrupi Croci ..... ʒj
Aquæ Menthæ ..... ℥j
Misce, fiatque haustus somno deficiente bibendus.

203.—℞ Tincturæ Myrrhæ ..... ʒss
Spiritûs Ætheris Nitrosi ʒj

Syrupi Tolutani ... .. ʒ j
Aquæ Pimentæ..... ℥ ij
Misce, et fiat mistura, de quâ capiat ℥ j, si, vel languores, vel horrores contingant.

204.—Capiat acidi sulphurici diluti guttas decem, vel numero sufficientes ad moderatam aciditatem, in singulis selibris decocti hordei.

205.—Sequenti aurorâ, sumat olei ricini quantum satis sit ad alvum solvendam.

206.—Sumat æger vini antimonii guttas xx, quartâ, quintâ, vel sextâ quâque horâ, nausea non tamen excitanda.

207.—℞ Cupri Sulphatis ..... gr. x
Aquæ Menthæ ..... ℥ j
Fiat haustus, quando venenum in ventriculum receptum est, sumendus.

208.—Bibat infusum seminum lini ad libitum.

209.—℞ Radicis Sarsaparillæ .. ℥ ij
Corticis Ulmi..... ℥ ſs
Aquæ Puræ ..... lb. ij
Coque ad libram cum semisse, cola, et signetur decoctum, quod capiat ut ante.

210.—℞ Infusi Sennæ..... ℥ j
Magnesiæ Sulphatis .. ʒ j
Fiat haustus statim sumendus, et quartâ quâque horâ repetendus, si erit necesse.

211.—℞ Infusi Quassiæ ..... ℥ j
Tincturæ Gentianæ.... ʒ j
Misce. Fiat haustus mane, iterumque hora ante prandium, stomacho vacuo, sumendus.

212.—℞ Tincturæ Opii ..... gtt. xv
Aquæ Menthæ..... ℥ j
Syrupi Croci ..... ʒ j
Misce. Fiat haustus horâ somni, vel vespertinâ, vel serâ nocte sumendus.

213.—℞ Potassæ Subcarbonatis.. ℈j
Syrupi Croci ..... ʒj
Aquæ Menthæ ..... ℥j
Misce. Fiat haustus, cum succi limonum cochleare uno amplo, in impetu ipso effervescentiæ, sumendus.

214.—℞ Tincturæ Jalapæ..... ʒſs
Infusi Sennæ ..... ℥j
Magnesiæ Sulphatis.... ʒij
Misce. Fiat haustus, secundis horis sumendus, donec alvus plenè soluta sit. Mitte tales quatuor.

215.—Continuetur haustus nuperrimè præscriptus.

216.—℞ Liquoris Ammoniæ Acetatis ℥j
Spiritûs Ætheris Nitr. . . .. ʒſs
Tincturæ Opii ..... gtt.xv
Aquæ Puræ ..... ʒij
Misce. Fiat haustus, quartâ quâque horâ capiendus. Ut effectus sudorificus augeatur, adde singulis haustibus antimonii tartarizati gr. ¼.

217.—℞ Tincturæ Castorei .... ʒ ss
Tinct. Serpentariæ .... gtt. xl
Spiritûs Ammoniæ .... gtt. xv
Aquæ Pimentæ ..... ℥j
Misce. Fiat haustus, si vigilia increbuerit, aut dolor capitis redintegraverit, sumendus.

218.—℞ Infusi Sennæ..... ℥j
Tincturæ Digitalis .... gtt. xx
Fiat haustus, sumendus statim a primâ venæsectione.

219.—Perdomito symptomate, mane et sero, ad dies pauculos continuetur usus haustuum.

220.—Continua haustum effervescentem, sicut jamjam paratum.

221.—Cochleare unum spiritûs lavendulæ compositi per se propinari possit, bis vel ter durante paroxysmo, horâ dimidiâ vel integrâ interposita.

222.—℞ Decocti Sarsaparillæ .. Oj
Sumat poculum (ʒiv.) bis tervè indies.

223.—℞ Tinct. Opii ..... gtt. xx
Mist. Cretæ ..... ℥j
Fiat haustus, navem ingressurus, sumendus.

224.—℞ Magnesiæ Sulphatis .... ℥j
Acidi Sulphurici diluti .. gtt. x
Syrupi Rhæados..... ʒj
Aquæ Menthæ ..... ℥j
Misce. Fiat haustus, cras primo mane sumendus, et repetatur tertiis vel quartis horis, ad alvum solvendam.

225.—℞ Misturæ Cretæ..... ℥j
Syrupi Croci..... ʒij
Misce. Fiat haustus, quartâ quâque horâ sumendus, donec paroxysmi non discrucient, instillando alternis vicibus, si Diarrhœa adfuerit, Tincturæ Opii guttas ij vel iij.

226.—℞ Tincturæ Calumbæ .... ʒij
Acidi Sulphurici diluti.. gtt. xv
Aquæ Cinnamomi..... ʒj
Syrupi Rhæados ..... ʒij

Misce. Fiat haustus, quartâ quâque horâ sumendus, et tempore usûs, adde singulis, Tincturæ Opii gtt. iij.

227.—℞ Infusi Digitalis ..... ℥iij
——- Gentianæ ..... ℥iv
Syrupi Croci..... ℥j

Misce. Fiant haustus sex. Sumat unum 6tis horis, per spatium Nycthemeri si vires permittant.

228.—℞ Infusi Calumbæ ..... ℥iſs
Syrupi ..... ʒij

Misce. Fiat haustus meridie et horâ quintâ pomeridianâ sumendus, per septimanam integram, vel ulterius si opus fuerit.

229.—℞ Misturæ Cretæ ... . ℥iſs

Misce, Fiat haustus; pro re nata, adde tincturæ opii guttas vj, si opus fuerit, ad præcavendam diarrhœam.

FORMS FOR POWDERS, PILLS, &c.

230.—Prosit forsan dare ægro, lectum ituro, pulveris hydrargyri submuriatis grana quinque.

231.—℞ Coccinell ..... ℈j
Sodæ Muriatis..... ʒij
Misce. Fiat pulvis. Detur cochleare dimidium pro dosi, tempore matutino.

232.—℞ Pulveris Jalapæ ..... ʒij
Hydrargyri Submuriatis ʒſs
Misce. Dentur grana xij ad xxiv, quando alvi ductione opus sit.

233.—℞ Magnesiæ Carbonatis .. ℥ſs
Fœniculi Seminum
Sacchari purificati āā .. ʒj
Terantur in pulverem. Dosis quantum cultri apice capi potest, sæpius in die.

234.—℞ Hydrargyri Submuriatis ʒj
Confectionis Rosæ, quantum satis sit. Contunde in massam et divide in pilulas xxx. Sumatur una bis indies, ut cicatur ptyalismus modicus.

235.—Augeatur dosis pulveris jacobi ad gr. vj.

236.— Hydrargyri Oxydi Rubri gr. j
Opii tertiam grani partem
Caryophyllorum Olei....gtt. j
Fiat pilula, horâ somni per hebdomadam sumenda.

237.—℞ Myrrhæ Gummi Resinæ ʒſs
Sacchari purificati .... ℥ſs
Tere simul in pulverem. Dosis drachma una ter quaterve indies, è quovis liquore idoneo.

238.—℞ Pulveris Opii..... gr. iij
Extracti Glycyrrhizæ .. gr. viij
Fiant pilulæ binæ, nocte sumendæ ad vicem secundam.

239.—℞ Capsici Seminum Contritorum gr.vj
Lauri Baccarum ..... ℈ij
Misce. Fiat pulvis dividendus in tres partes æquales; quarum prima portio sumatur, incipiente primore rigore; secunda, postridie eâdem horâ; tertia verò tertio die.

240.—℞ Confectionis Opii..... ℈j
Pro re nata sumatur si diarrhœa permaneat.

241.—℞ Extracti Colocynthidis Co. ʒj
Hydrargyri Submuriatis.. gr.xij
Fiat massa in pilulas xij dividenda.
Capiat summo mane tres, et postea duas, si alvus, horis sex, non satis dejecerit.

242.—℞ Pilulæ Aloes c. Myrrhâ ʒiij
Fiant pilulæ triginta. Sumat duas vel tres, adstrictâ alvo.

243.—℞ Pulveris Rhei ..... ℈j
Hydrargyri Submuriatis gr. v
Syrupi Althææ q. s. ut

fiat bolus, horâ somni sumendus, et alternis noctibus repetendus, ad duas vel tres vices.

244.—℞ Extracti Cicutæ..... ʒſs
Fiant pilulæ quindecim, in pulvere cicutæ involvendæ. Mitte in chartaceâ pyxide.

245.—℞ Extracti Colocynthidis ʒſs
Pulveris Scammoneæ ℈j
Hydrargyri Submuriatis gr. xij
Misce. Fiant pilulæ duodecim; quarum capiat unam nocte, quoties alvus fuerit justo adstrictior.

246.—℞ Extracti Elaterii ..... gr. ſs
——— Colocynth. Comp. gr. v
Olei Essential. Menthæ Pip. gutt. j
In pilulam conficiantur cras mane deglutiendam iterumque mane perendino.

247.—Ad nauseam supprimendam, bibat æger spiritûs alicujus paululum aquâ commixtum.

248.—℞ Corticis Cinchonæ Pulveris gr.xv
ad ʒij
Capiat è cyatho vini generosissimi horæ quadrantis ad horas iv, intervallo, ita ut æger sumat ʒvj ad minimum, inter duos paroxysmos.

249.—℞ Extracti Elaterii ..... gr. ij
Sacchari purificati .... ʒj
Optime terantur simul, dein in pulveres octo æquales dividantur, quorum capiat æger unum, omni horæ quadrante, donec adsit catharsis.

250.—Accipiat vespere.
Jalapæ Pulveris grana quindena
Hydrargyri Submuriatis grana quinque
Conterantur in molem syrupo simplici ut fingantur globuli terni æquales.

251.—℞ Pulveris Corticis Cinchonæ ʒj
Pulveris Cinnamomi..... gr.xx
Misce; fiat pulvis, exhibendus, si remissio appareat, et repetendus, si ultra horas tres pergat.

252.—℞ Sodæ Carbonatis Exsicc. ʒj
Saponis duri ..... ℈iv
Olei Juniperi..... gtt. xx
Syrupi Zingiberis q. s. ut
fiat massa, in pilulas xxx dividenda, è quibus capiat tres in dies, contra calculos renum.

253.—℞ Pulveris Jalapæ ..... ʒij
Hydrargyri Submuriatis gr. xxiv
Misce, et in pulveres duodecim divide, quarum, capiat duos vel tres, ut necesse fit ad sedes.

254.—℞ Potassæ Sulphatis .... ℈ij
in semipoculo aquæ tepidæ solutos, cum guttis viginti Tincturæ Digitalis sumendos.

255—℞ Pulveris Cinchonæ .... ʒj
Sit pulvis, secundis horis, in cyatho lactis, absente paroxysmo, sumendus.

256.—Sumantur pulveris Calumbæ, grana decem singulis auroris ex pulte.

257.—℞ Pulveris Nitratis Potassæ
——— Potassæ Sulphatis āā gr. xv
Fiat pulvis, in promptu habendus, et urgente paroxysmo sumendus.

258.—℞ Pulveris Jalapæ ..... ʒj
——— Scammoneæ.. ℈j
Hydrargyri Submuriatis gr. xx
Syrupi q. s.
ut fiat massa, in pilulas viginti dividenda, è quibus, capiantur binæ, ad alvum officii immemorem excitandam.

259.—℞ Potassæ Nitratis ..... gr. xx
Sacchari Albi ..... ʒij
Mucilaginis Acaciæ q. s. ut fiat massa, in trochiscos duodecim distribuenda, quorum unus detineatur sub linguam, donec liquescat.

260.—℞ Quercûs Corticis..... ʒss
Anthemidis Flor. exsicc ℈j
Tere simul in pulverem, alternis vel tertiis horis, durante apyrexiâ, sumendum.

261.—℞ Zinci Sulphatis..... gr. xij
Aquæ Puræ ..... ℥iij
Sumatur tertia pars, ter die, augendo dosin, si opus sit, et si ferat ventriculus.

262.—℞ Pulv. Cretæ cum Opio.. gr. x
Vespere ante somnum sumenda.

263.—℞ Extracti Colocynth .... ʒj
Fiant pilulæ duodecim. Sumat unam, sextis horis, donec commodè purgetur.

264.—℞ Pulveris Ipecacuanhæ.. gr. xxv
Antimonii Tartarizati .. gr. j
Fiat pulvis emeticus: ex pauxillo alicujus liquoris idonei hauriatur, et vomitu moto, superbibantur cyathi aliquot infusi anthemidis tepidi.

265.—℞ Pulveris Cinchonæ ... ʒiij
Divide in partes duodecim æquales, quarum capiat unum, secundâ vel tertiâ quâque horâ ex cyatho parvo lactis vaccini recentis absente febre.

266.—℞ Confectionis Rosæ .... gr. x
Hydrargyri Submuriatis gr. vj
Fiat bolus, horâ somni quâlibet nocte sumen-
lus; mane sequenti post quintam vel sextam
ssumptionem, bibat potionem purgantem
ommunem.

267.—℞ Extracti Hyoscyami .. gr. ij
Fiat pilula, omni horâ sumenda, donec se-
eantur evomitiones.

268.—℞ Pilulæ Aloes cum Myrrha ʒj
Fiant pilulæ duodecim, quæ obruantur pul-
ere glycyrrhizæ.

269.—℞ Pulveris Digitalis ..... gr. iij
——— Glycyrrhizæ .. gr. xx
Misce. In pulveres tres, hæc quantitas di-
idenda est. Partitio fiat exactissima.

270.—℞ Extracti Papaveris .... gr. x
Fiant pilulæ duæ, quarum capiat unam sta-
im, et alteram post horas tres, si vomitus
erstiterit.

271.—℞ Pulveris Cinchonæ .... ʒij
In duas partes dividatur, quarum una ter de die exhibenda, et per plures dies continuanda.

272.—℞ Pilulæ Hydrargyri .... gr. x
Fiant pilulæ ij.
Devoret æger unam bis in die, horâ decimâ, alteram, horâ secundâ.

273.—℞ Pulveris Scammoneæ .. ℈j
——— Rhei ..... gr. x
Hydrargyri Submuriatis gr. iv
Misce. Fiat pulvis purgans, extemplò in pulpâ pomi tosti sumendus.

274.—Dentur Radicis Ipecacuanhæ in pulverem subtillissimum tritæ grana tria vel quinque, diluculò, singulis vel alternis diebus.

275.—Sumantur, Filicis Radicis in pulverem tritæ drachmæ duæ vel tres, è cyatho aquæ menthæ, primo diluculò.

Elapsis duabus horis, devoretur bolus ex hydrargyri submuriatis granis quinque vel sex, et cambogiæ granis octo vel decem; assumpto subindè hausfulo infusi theæ viridis.

276.—℞ Ferri Sulphatis..... ʒſs
Assafœtidæ ..... ʒij
Cum mucilaginis acaciæ tantillo subige in massam, dividendam in pilulas singulas grana iv. pendentes.

277.—℞ Antimonii Tartarizati . . gr. iv
Pulveris foliorum Digitalis gr. x
Confectionis Rosæ q. s. ut fiat massa in pilulas xx dividenda.

Initio sumat æger pilulam unam, pro dosi, mane ac nocte, postea binas, dein tres, et denique augeatur dosis, quantum fieri potest.

278.—℞ Extracti Gentianæ .... gr. x
Fiat bolus, detur jejuno stomacho.

279.—℞ Pulveris Aloes ..... ʒj
——— Myrrhæ ..... ʒſs

Misce. Capiat gr. x ter die. Dosis sensim augenda est, donec ʒj in die sumatur.

280.—Sumat quantum cuspide cultri capi potest, pulveris Rhei, in cochleare lactis saccharati, vel in melle.

281.—Sumat æger, drachmam unam pulveris Cinchonæ, ante paroxysmum ingredientem.

282.—℞ Oxydi Hydrargyri rubri.. gr. xij
Confectionis Rosæ q. s.
ut fiant pilulæ xij. Sumat æger pilulam ter in die, donec dentes vacillare incipiant.

Dosis ab initio a pilulâ unâ ad duas; tres vel semper dosin augendo.

283.—℞ Pulveris Cinchonæ .... ʒj
Pulveris Zingiberis .... gr. x
Misce. Sumat, æger ante tempus redeuntis paroxysmi, ter in septimanâ, huncce pulverem pro dosi.

284.—Sumat ægra, in lecto composita, pilulam Opii, superbibendo hordei aquam calidam.

285.—℞ Gummi Ammoniaci .... ʒſs
Pulveris Rhei ..... ℈j
Syrupi simplicis ..... q. s. ut fiant pilulæ viginti.

Capiat per duas noctes, quatuor et intermittat tertiam noctem; et sic pergat donec totum sumpserit.

286.—℞ Antimonii Oxydi ..... ℈j
Nitratis Potassæ..... ʒj.
Pulv. Ipecac. Co. .... ʒſs
Misceantur, et fiat pulvis tenuissimus, in septem partes æquales separandus, quarum una, singulis horis ingeratur.

287.—Repetantur pulveres, hesterno die præscripti, eodemque modo sumantur.

288.—℞ Cretæ preparatæ ..... ʒj
Pulveris Ipecacuanhæ gr. vj
Misce, et fiat pulvis, in chartulas duas æqualiter dividendus, quarum capiat unam horis

octavis; et temporibus intermediis, si pulsus sit creber, et fortis, bibat cochlearia duo misturæ sequentis.

289.—℞ Extracti Colocynthidis.. ʒj
Pulveris Scammoneæ .. ʒſs
Misce, fiant, pilulæ virginti, quarum duæ deglutiantur, horâ decubitûs: diluculo ut infra.
℞ Infusi Sennæ..... ℥j

290.—℞ Hydrargyri Submuriatis gr. xij
Confectionis Rosæ .... q. s.
ut fiant pilulæ xij, cujus sumat j post cœnam: mane et pomeridie sumat haustum purgantem.

291.—℞ Zinci Sulphatis ..... ℈ſs
Pulveris Ipecacuanhæ.. gr. xv
Fiat pulvis emeticus statim sumendus. Finitâ vomitorii operatione capiat subinde, cochlearia duo misturæ purgantis.

292.—℞ Pulveris Digitalis..... gr. ſs
Pulveris Acaciæ ..... ℈j
Fiat pulvis, 4tis horis sumendus, ægrâ interim conquiescente, et caput immotum tenente.

293.—℞ Hydrargyri cum Cretâ.. gr. x
Pulveris Tragacanthæ.. ʒss
Fiat pulvis statim sumendus; et exhibeatur sequenti luce potio purgans communis.

294.—℞ Pulveris Potassæ Sulphatis ʒj
Pulveris Rhei..... ℈j
Misce. Fiat pulvis, in pulmento, vel in poculo seri lactis vinosi, sumendus.

295.—℞ Pulveris Cinchonæ..... ℥ij
Pulveris Cinnamomi.... ʒij
Misce. Fiant pulveres duodecim, quarum capiat unum quartâ quâque horâ, superbibendo vini cujuslibet haustum, incipiendo immediatè post paroxysmum; interdicto interim enematum usu.

296.—℞ Extracti Hyoscyami..... ʒj
Fiant pilulæ duodecim, quarum sumatur una pro re natâ, sub languore vel singultu.

297.—℞ Sodæ Tartarizatæ..... ʒiſs
Cretæ preparatæ ..... ʒſs
Misce. Fiat pulvis, in jusculo avenaceo tenuissimo, sumendus.

298.—℞ Pilulæ Aloes c. Myrrhâ ʒij
Fiant pilulæ viginti quatuor, è quibus ingerantur tres, unâquâque mane ac nocte.

299.—℞ Hydrargyri Submuriatis grana quaterna
Sacchari grana sena
Antimonialis pulveris grana bina
Conterantur. Sumat vespere in Gelatinâ Ribesiorum.

300.—℞ Zinci Sulphatis..... ℈j
Confectionis Cynosbati.. q. s.
ad pilulas viginti fingendas, quæ deaurandæ sunt.

301.—℞ Cretæ preparatæ ..... ℈j
Fiat pulvis, vel addendo syrupum zingiberis, bolus, ad alvum contrahendam, mane sumendus.

302.—℞ Pilulæ Hydrargyri .... ℈ss
Divide in duas partes ; sumat unam statim, alteram, circa mediam noctem.

303.—℞ Pulveris Ipecacuanhæ.. ℈j
Fiat pulvis emeticus, more solito sumendus. Operatione emetici peractâ, capiat Pulveris Rhei ℈j.

304.—℞ Pulveris Calumbæ .... ʒj
Pulveris Zingiberis .... gr. xx
Misce omnia, quæ dividantur in sex doses æquales, per sex dies continuos mane sumendas, tribus horis ante pastum.

305.—℞ Olei Crotonis ..... . gtt. xviij
Pulveris Glycyrrhizæ q. s.
ut fiant pilulæ xxxvj, quarum, exhibeantur duæ, horâ decubitûs, quandoque alvus nimis solida fuerit, et augeatur seu minuatur dosis pro ratione effectûs.

306.—℞ Pulveris Opii .. .... gr. j
Confectionis Rosæ .... ℔ss

Fias bolus vespere, si perstet diarrhœa, vel adsint tormina intestinorum, capiendus.

307.—℞ Pilulæ Hydrargyri .... gr. v
Sumat talem, horæ unius spatio.

308.—℞ Jalapæ Radicis pulveris ℥j
Potassæ Supertartratis.. ℥ij
Seorsim tria permisce. Dosis à ʒſs ad ʒj mane.

309.—℞ Extracti Gentianæ .... ʒv
In pilulas sexaginta dividendas. Dosis j vel ij nocte maneque statim post cibum.

FORMS FOR LINCTUSES, &c.

310.—℞ Olei Terebinthinæ ..... ʒij
Mellis despumati ..... ℥j
Misce ; fiat linctus.

Dosis cochleare parvum, nocte et mane, cum haustu cujusvis potûs tenuioris tepefacti.

311.—℞ Confectionis Sennæ .... ℥iv
Sumat ad nucis juglandis magnitudinem.

312.—℞ Confectionis Rosæ .... ℥ij
Tincturæ Opii ..... ʒj
Acidi Sulphurici diluti.. ʒſs
Fiat electuarium, exactè invicem miscendo.

313.—℞ Confectionis Rosæ Caninæ ʒij
Syrupi Aurantii ..... ʒvj
Olei Amygdalæ ... . ʒj
Misce, et fiat linctus, in ollâ fictili mittendus

314.—℞ Oxymellis Scillæ ..... ʒiij
Syrupi Papaveris ..... ʒvj
Pulveris Tragacanthæ Co. ʒj
Misce. Fiat linctus, cujus lambat æger pauxillum subinde.

315.—℞ Resinæ Guaiaci ..... ʒj
Confectionis Rosæ .... ℥j
Syrupi Aurantii..... q. s.
ut fit electuarium, de quo capiat quantitatem nucis moschatæ majoris, bis indies.

316.—℞ Confectionis Rosæ..... ℥ij
Acidi Sulphurici Diluti ʒj
Misce, et fiat linctus; capiat quantitatem castaneæ, bis in die.

317.—℞ Confectionis Sennæ..... ℥iv
Pulveris Potassæ Supertartratis ℥ſs
Misce, et fiat electuarium. Capiat quantitatem nucis avellanæ vel moschatæ subinde, vel ter in die paulò ante prandium.

318.—℞ Pulveris Cinchonæ .... ℥j
Pulveris Serpentariæ .. ʒiij
Syrupi Simplicis q.s. ut fiat elec-

tuarium, quod decedente paroxysmate, totum capere debet æger, ante accessum febris sequentem.

319.—℞ Confectionis Sennæ .... ℥j
Fiat linctus, sumendus, subindè lambendo. Mittatur in Narthecio.

320.—℞ Confectionis Rosæ .... ℥j
Aluminis pulveris..... ʒj
Misce. Imponatur parvulum assiduò linguæ, ut soluta ibi oblinat et sic lente deglutiatur.

321.—℞ Pulveris Uvæ Ursi .... ℥j
Syrupi Aurantii..... q. s.
ut fiat electuarium, debitæ spissitudinis, cujus molem nucis moschatæ, bis in die, paulatim delingat.

322.—℞ Aceti Colchici ..... ℥ij
Mellis ..... ℥iv
Misce, et super leni foco, sæpiùs agitando cochleare ligneo coque ad mellis spissitudinem; hujus oxymellis, sumat æger cochleare parvulum ter die.

323.—℞ Menthæ Viridis foliorum
recent. . . . . ℥iv
Sacchari purificati. . . . . ʒxij
Folia mortario lapideo contunde, tum adjecto saccharo, iterum contunde, donec corpus sit unum.

324.—℞ Hujus Confectionis . . . . ℈iv
Fiat bolus, statim sumendus, et 3tiis horis repetendus, urgente ægritudine ventriculi, cum haustu sequente.

FORMS

FOR

EXTERNAL APPLICATIONS, &c.

325.—℞ Micæ Panis ..... lb. j
Liquoris Plumbi Acetatis q. s.
ut madescat panis.

326.—℞ Conii Foliorum exsiccatorum ℥j
Coque ex aquæ Oijſs ad Oij et cola, panni lanei hocce decocto calido madefacti, deinde expressi, parti affectæ imponantur, et sæpius renoventur.

327.—Vespere utatur pediluvio tepido.

328.—℞ Unguenti Hydrargyri fort ℥j
Hujus unguenti affricetur drachma una femoribus internis ante focum singulis noctibus, donec ptyalismus cicatur.

329.—Fricetur corpus, horâ decubitûs, aut lanâ vel strigile.

330.—℞ Pyrethri Radicis Contriti
Mastiches. āā ʒj
Fiant lege artis, ad ignem, masticatoria duo, teneat æger sæpius in ore, et manducet hujusmodi medicamentum expuatque salivam.

331.—Suffiet æger fauces ejus cum vapore ex acidi sulphurici unciâ dimidiâ, cui primum adjunctæ fuerint muriatis sodæ unciæ duæ.

332.—℞ Picis liquidæ ..... ℥iſs
Sulphur. Sublim. .... ℥ſs
Ceræ flavæ ..... ℥j
Lento igne liquefac, ut fiat unguentum.

333.—℞ Olei Olivæ ..... ℥j
Ceræ albæ..... ʒij
Misce. Fiat Linimentum, quocum illinantur partes denudatæ, bis quotidie.

334.—Inhaletur pulmonibus, ætheris sulphurici vapor, ter quotidie.

335.—℞ Dauci Radicis ..... q. s.
Coque in aquâ, ad aptam mollitiem, in pulpam deinde contunde.

336.—℞ Liquoris Plumbi Acetatis
diluti..... Oj
Lintea quadruplicata hocce liquore frigido madefacto, partibus inflammatis applicentur et sæpius renoventur.

337.—℞ Magnesiæ Sulphatis.... ℥j
Juris Avenacei ..... Oſs
Olei Olivæ ..... ℥ſs vel
Butyri quantitatem juglandis.
Misce pro enemate statim injiciendo.

338.—Exscindatur pars morsa, et postea, applicetur vulneri, potassa fusa.

339.—℞ Pulveris Asari
Pulveris Veratri ..... āā ʒj
Pulveris Glycyrrhizæ .. ʒij
Misce, fiat pulvis cujus aliquantillum naribus insuffletur ante decubitum, ad sternutamentum excitandum.

340.—℞ Inungatur hypochondrio sinistro, ℈j unguenti hydrargyri fortioris, 11â horâ ante meridiem, et 4tâ post meridiem indies.

341.—℞ Lapidis Calaminaris .... ʒj
Eo conspergantur partes adfectæ, sub quâlibet deligatione.

342.—℞ Liquoris Potassæ ..... ʒj
Aquæ Fontanæ ..... ℥vj
Misce. Hujus liquoris tepidi, quantum cavo capi potest, quotidie bis injiciatur, in aurem ægram supinatam, ac detineatur per aliquot minuta, dein aure pronâ rursus emittatur.

343.—℞ Oxydi Zinci ..... ʒj
Fiat pulvis, inclusus sindoni raræ excutiatur super parte excoriatâ, prius detersâ.

344.—℞ Cretæ preparatæ ..... ℥j
In partes excoriatas, ex gossipio asperge.

345.—Admoveatur parti adfectæ, spongiola, aquâ calidâ imbuta.

346.—Vesica suilla, aquâ calidâ ad dimidium repleta, admoveatur lateri dolenti; firmetur ligamine, tum super ponatur sacculus arenâ calidissimâ plenus, qui frigescens iterum calefiat, aut ei mox substituatur alius jam calefactus. Continuentur hæc donec dolor remiserit.

347.—Cataplasma calidum, irroratum prius tantillo Spiritûs Camphoræ, adplicetur cum pannis laneis parti adfectæ, et vesicâ suillâ oleo madefactâ detineatur; renovetur quolibet trihorio.

348.—Admoveatur calidum cataplasma, parti affectæ, cum panno linteo quadruplicato.

349.—℞ Unguenti Hydrargyri Nitrico-Oxydi
Unguenti Resinæ..... āā ℥ss
Misce. Fiat unguentum, quo leniter inungatur locus adfectus, ac dein tegatur emplastro plumbi, super alutam extenso.

350.—℞ Hydrargyri Submuriatis ʒj
Adipis Suillæ ..... ℥j
Misce. Super pannum linteum extende, et cuti affectæ applica.

351.—Hauriatur vapor calidus, ope infundibuli, in fauces.

352.—℞ Pulveris Opii..... ʒss
Unguenti Cetacei..... ℥j
Misce; fiat unguentum. Hujus pauxillo inungatur locus umbilici subinde; aut pars dimidia juglandis nucis, putamine decerpto eidem loco adponatur.

353.—℞ Linimenti Saponis..... ℥j
Liquoris Ammoniæ .... ʒiv
Tincturæ Opii ..... ʒj
Misce. In languore, aut paroxysmo hysterico illinatur naribus, temporibus, &c. hujus linimenti paululum.

354.—℞ Hydrargyri Oxymuriatis gr. x
Acidi Muriatici..... ʒiss
Aquæ Rosæ ..... ℥x

Misce. Tantillo hujus liquoris laventur mane et vespere, partes infestatæ.

355.—℞ Pulpæ Colocynthidis .. ʒj
Olei Olivarum ..... ℥j

Misce, et coque leni igne, donec pulpa torqueri videatur; dein massam adhuc calentem cola, et cum ea illinatur abdomen, et præcipuè umbilici regio.

356.—℞ Zinci Oxydi ..... ʒj
Aquæ Rosæ ..... ℥viij

Misce. Fiat collyrium, quo concusso imbutum linteum quadruplicatum imponatur oculo adfecto.

357.—℞ Unguenti Hydrargyri Nitratis. ..... ℥j
Cerati Saponis..... ℥ſs

Misce. Hujus tantillo illinantur palpebræ omni vespere, cubitum ituro ope plumæ mollis.

358.—℞ Tincturæ Lyttæ..... ℥ſs
Linimenti Saponis .... ℥iſs

Misce. Fiat linimentum, quo partes adfectæ perfricandæ sunt, et postea tegantur lanulâ.

359.—℞ Camphoræ..... ʒj
Olei Amygdalarum .... ℥j
Misce, et instilla guttas quatuor auri, pro re nata.

360.—℞ Extracti Opii..... gr. x
Tincturæ Castorei ..... ʒj
Misce, et applicetur paululum, auri affectæ, omni nocte cum gossipio.

361.—℞ Linimenti Saponis..... ℥j
Tincturæ Opii ..... ʒj
Misce. Fiat liniméntum, cum panno laneo, faucibus externis applicandum.

362.—℞ Olei Amygdalæ ..... ℥j
Camphoræ..... ʒj
Misce, pro linimento, quocum tangantur papillæ ter quaterve in die.

363.—℞ Acidi Sulphurici diluti.. ʒj
Solutionis Aluminis Co. ℥ss
Aquæ Puræ ..... ℥vj
Probe commisceantur. Indatur nari ex quo sanguis stillat, turunda ex linteo raso, humectata hoc liquore, et relinquenda illic, per dies duos.

364.—℞ Florum Sambuci ..... lb. ij
Coque in Aquæ, lb. iv.

Foveantur, eo decocto, sæpius in die, caput, facies, oculi, aliæque partes erysipelate tentatæ.

365.—℞ Decocti Hordei..... lb. ſs
Magnesiæ Sulphatis .. ℥ij
Fiat enema, urgente tenesmo injiciendum.

366.—Perfundatur corpus aquâ frigidâ.

367.—℞ Tincturæ Lyttæ ..... ʒiv
Liquoris Ammoniæ .... ℥j
Linimenti Saponis ..... ʒij
Misce : fiat linimentum, quo guttur et postera pars colli perfricanda sunt donec vesicæ appareant, dein desiste per diem et applica unguentum cetacei.

368.—℞ Farinæ Lini .... lb. j
Aquæ bullientis q. s
ut fiat cataplasma, admoveatur calidè loco adfecto ; renovetur quater de die : cum arescat tantillo butyri insulsi emolliatur.

369.—Admoveatur lintea aquâ frigidâ madefacta, vel si fieri possit glacies raso capiti.

370.—℞ Micæ Panis..... ℔. ij
Tincturæ Lyttæ ..... ℥ij
Decocti Papaveris, q. s.
ut fiat cataplasma. Applica hoc ad cutem per horæ dimidiam, aut tamdiu donec inflammationem satis magnam excitatam, dolor fervidus, et rubor partis tumens testentur.

371.—℞ Calaminaris Pulveris .. ℥j
Cretæ preparatæ ..... ℥ſs
Fiat pulvis. Intra linteum consutum applicetur, renovando simul ac maduerit.

372.—℞ Pulveris Opii ..... gr. v
Saponis .... ʒj
Misce, et fiat suppositorium, post alvum exoneratam applicandum.

373.—Foveantur gingivæ aquâ calidâ.

374.—℞ Infusi Rosæ ..... ℥vj
Acidi Sulphurici diluti ʒj
Misce. Colluantur fauces hoc gargarismate.

375.—℞ Olei Olivæ..... ℥j
Liquoris Potassæ ..... ʒij
Misce. Fiat linimentum, hujus pauxillo oblinatur abdomen bis terve quotidie.

376.—℞ Magnesiæ Sulphatis .... ℥j
Tincturæ Opii ..... gtt.xxv
Jusculi ..... lb. ſs
Fiat enema. Injiciatur horâ somni tertiâ quâque nocte, ad tres vices, dein repetatur alternis noctibus, usque ad quartem vicem, si opus sit.

377.—℞ Unguenti Hydrargyri Nitratis ..... . ℥ſs
Ung. Cetacei..... ℥j
Misce. Hujus unguenti pauxillum, ope penicilli camelini, oculo affecto applicetur nocte et mane.

378.—℞ Aluminis ..... ℈j
Cretæ preparatæ ..... ʒj

Misce diligentissimè, ut fiat pulvis, cujus inspergatur pauxillum super mamillas pro re nata.

379.—Admoveatur extractum belladonnæ supercilio et regioni supraorbitali vespere.

380.—℞ Hydrargyri Submuriatis gr. ij
Sacchari Albi ..... ℈j
Fiat pulvis cujus parum infletur, ope calami, in oculum affectum, semel vel bis in die.

381.—℞ Radicis Dauci ..... lb. j
Coque in aquæ fontanæ q. s. et per setaceum trajice pulpam, cui adde ℥ss adipis, ut fiat cataplasma calidè adhibendum.

382.—Vespere appropinquante, si opus sit, injiciatur clysma, heri præscriptum.

383.—Fiat Setaceum ad medium brachium.

384.—Foveantur artus, cum decocto anthemidis.

385.—℞ Conii foliorum ..... ℥ij
Aquæ ferventis ..... lb. ij
Colatura sit pro fotu, qui cum pannis laneis, parti affectæ admoveatur, mane horis duabus, antequam è lecto assurgat, et nocte post decubitum, donec symptoma penitus evanuerit.

386.—℞ Tincturæ Opii ..... ʒj
Linimenti Saponis .. . ʒj
Fiat linimentum, cum quo benè fricentur tempora et detonsum caput.

387.—Inhalet singulis noctibus, in lecto, vaporem aquæ calidæ, cui tempore usûs, adde, cochlearia duo minima ætheris rectificati.

388.—Eliciantur scintillæ electricæ, ex orbitis oculorum, temporibusque, per horæ sextam partem, et repetantur alternis diebus.

389.—Iterum aura electrica coxæ dolenti admoveatur.

390.—Fiant ictus electrici per regionem uteri.

391.—Exploretur vesica urinaria, ope catheteris, et extrahatur urina.

392.—Colluantur os et gingivæ bis terve in die cum Tincturæ Myrrhæ gtt. xx in aquæ tepidæ cyatho.

393.—℞ Hydrargyri Oxydi Cinerei ℈j, vel
——— Sulphureti rubri....ʒſs
Fiat pulvis pro fumigatione, faucibus internis, omni nocte more solito, adhibendus.

394.—Fiat fonticulus crure, infra vel supra genu.

395.—Instituatur paracentesis abdominis, et educatur aqua.

396.—Affricetur parti affectæ singulis noctibus unguenti hydrargyri fortioris, magnitudo fabæ equinæ, deinde applicetur cata-

plasma ex liquore plumbi acetatis diluto, micâ panis, et farinâ lini.

397.—℞ Argenti Nitratis ..... ℈j
Aquæ distillatæ..... ℥vj
Fiat mistura, et cum hâc illinantur partes affectæ singulis noctibus horâ somni prius detersæ; vel linteum in eâdem madefiat et per totam noctem gestetur.

398.—Utatur balneo, ad gradum nonagesimum calefacto, bis in septimanâ.

399.—℞ Fellis Bovis ..... ℥ij
Olei Amygdalarum .... ℥s
Misce. Fiant guttæ acousticæ bis die applicandæ.

400.—Utatur æger equitatione subinde, si fieri possit.

401.—Mittatur fistula armata.

402.—℞ Zinci Sulphatis..... ℈j
Aquæ Puræ ..... ℥vj
Misce. Fiat injectio, quæ ex syphone eburneo in urethram injiciatur, mane et nocte.

403.—℞ Liquoris Ammoniæ Acetatis ℥j
Aquæ ... . lb. j
Fiat lotio, nocte cubitum ituro tumoribus applicanda. Mitte lb. ij cum directione propriâ.

404.—Fiat fonticulus purulentus ad medium brachium, ope potassæ fusæ.

405.—Cautè tangantur clavi, acido sulphurico, ope penicilli ; dein tegantur emplastro plumbi.

406.—℞ Unguenti Cetacei..... ℥j
Pulveris Opii..... ℈ss
Fiat unguentum, cujus paululum pro re nata applicetur, urgente ani prurigine.

407.—℞ Linimenti Camphoræ .. ℥iss
Tincturæ Lyttæ ..... ℥ss

Misce. Fiat linimentum, quocum fricetur pars affecta ter quatervè indiès.

408.– ℞ Nicotianæ ..... ʒj
Aquæ Communis..... Oj
Coque per sextam partem horæ et cola; adde liquori
Sodæ Sulphatis ..... ℥ij
Solve et fiat enema, statim injiciendum, contra insultus apoplecticos, vel affectus soporosos adhibendum.

409.—Mitte Emplastrum Galbani super alutam inducendum.

410.—Adhibeatur lavatio, frigida vel tepida, prout ægro gratius erit.

411.—Capilli radantur, et caput postea panniculo lotione frigidâ imbuto circumdetur.

412.—℞ Hydrargyri Oxymuriatis gr. x
Aquæ Puræ ..... ℥x

Misce. Hoc liquore, ter de die, injiciatur ulcus, ope siphonis; post singulas injectiones materia relinquatur intra ulcus, et coerceatur per dimidium horæ, clausis omnibus aperturis, tumque externè prematur leniter ulcus, ut liquor ejectus per omnes sinus et meatus propellatur.

PART III.

---

1. *A few of the Rules of Syntax most commonly met with in Physicians' Prescriptions, with Examples of their Use.*

---

1. *Of Concords.*

The Concords are four:*

1. Of an Adjective, &c. with a Substantive.
2. Of a Verb with a Nominative.
3. Of a Relative with an Antecedent.
4. Of a Substantive with a Substantive.

---

* Some grammarians make only three concords: the agreement of one substantive with another signifying the same thing (*Rule* 8), not being considered by them a concord, but is named apposition. However, for the reason assigned by Mr. Grant (*Institutes of Latin Grammar*, p. 172), I have adopted it as a primary concord.

Rule 1. Adjectives, participles, and pronouns, agree with the substantive in gender, number, and case: as,

Grana duo. Cochleare amplum. Haustus sumendus. Quâque nocte. Pannum laneum. Cataplasma calidum.

Rule 2. A personal verb agrees with its nominative in number and person: as,

(*Tu*) *Recipe. Mittatur sanguis. Applicetur emplastrum. Capiat æger. Fricetur corpus. Foveantur gingivæ. Colluantur fauces.*

Rule 3. The infinitive mood has an accusative before it: as,

Repetatur venæsectio quotidie ad tertiam vel quartam vicem nisi constet vires prius deficere.

Rule 4. The relative *qui, quæ, quod,* agrees with the antecedent in gender, number, and person: as,

Divide in pilulas sex, quarum sumat unam pro re nata.

Rule 5. If no nominative come between the relative and the verb, the relative shall be the nominative to the verb: as,

Fiant pilulæ duodecim, quæ sumendæ sunt ut antea.

Rule 6. But if a nominative come between the relative and the verb, the relative shall be of that case which the verb or noun following, or the preposition going before, uses to govern: as,

Fiat haustus, cui, tempore capiendi, adde, &c.

ule 7. Two or more substantives singular, coupled together by a conjunction, generally have a verb, adjective, or relative plural: as,

Haustus et pilula sumantur tribus horis.

ule 8. One substantive agrees with another, signifying the same thing, in case: as,

Recipe, Sodæ tartarizatæ (vulgo *Tartari solubilis*) *unciam. Capiat æger cochlearia duo minima* (id est, *drachmas duas*)

---

2. *Of Government.*

1. Of Nouns.
2. Of Verbs.
3. Of Words indeclinable.

Nouns.

le 9. One substantive governs another, signifying a different thing in the genitive: as,

Unciam magnesiæ. Magnitudo nucis moschatæ. Horâ somni. Unciæ quinque sanguinis.

(*Note.* The substantive governed may govern another, signifying a different thing: as, *Drachma sodæ subcarbonatis.*)

le 10. An adjective, in the neuter gender, without a substantive expressed, is followed by a genitive: the adjectives thus used are generally such as signify quantity: as,

Plus calcis. Ex pauxillo alicujus liquoris. Paululum spiritûs. Ex tantillo hujus liquoris.

Rule 11. *Opus* and *usus*, denoting *necessity*, *convenience*, or *expediency*, are followed by the ablative of the thing wanted: as,

Quando alvi ductione opus sit.

Rule 12. Adjectives signifying desire, knowledge, memory, fear, &c. and the contraries to these, require a genitive case: as,

Ad alvum officii immemorem excitandam.

Rule 13. Partitives and words placed partitively, comparatives, superlatives, interrogatives, and some numerals, govern the genitive plural: as,

Una pilularum. Quarum capiat unam.

Verbs.

Rule 14. A verb signifying actively governs the accusative: as,

Recipe unciam. Capiat cochleare. Mitte sanguinem. Sumat unam.

Rule 15. Verbs of giving, taking away, composing, &c. and many verbs compounded with *ad*, *in*, *ob*, *præ*, *sub*, govern an accusative and dative, if the verb be active; if passive, a dative only.

Da infantulo lactenti cochleare minimum aquæ menthæ. Applicetur (or *adplicetur*) *thoraci vesicatorium. Admoveantur regioni renum hirudines sex. Capiat cochlearia duo in languoribus, præcipue diebus purgationi deditis. Si primæ venæsectioni non cedat morbus, &c.*

Rule 16. *Utor*, and some other verbs, govern the ablative: as,

Utatur sequenti. Utatur pediluvio. Utatur æger equitatione.

Rule 17. One verb governs another in the infinitive: as,

Caput tonderi debet.

Rule 18. Participles, gerunds, and supines, govern the case of their own verbs: as,

Augendo dosin. Augendo, minuendovè quantitatem. Fiat linimentum, cervici et scapulis applicandum. Instillando tincturæ opii guttas sex.

Rule 19. *Natus, editus, creatus*, and some other participles, require an ablative case; and oftentimes with a preposition: as,

Nata humoris detractio ab emplastro Cantharidis.

Rule 20. The gerund in *di* is governed by substantives or adjectives: as,

Tempore cœnandi. Tempore capiendi.

Rule 21. Gerunds governing the accusative may be elegantly turned into the participles in *dus*, which agree with their substantives in gender, number, and case: as,

Ad acorem compescendum. Ad alvum excitandam.

On the Construction of Circumstances.

Circumstances are five: *Cause, Manner, Instrument, Place,* and *Time;* and they are common to the verbs and nouns.

Rule 22. The cause, manner, and instrument, are put in the ablative: as,

Pleno rivo. More solito. Eodem modo. Manu calido. Ope penicilli. Curetur pars exulcerata unguento Sabinæ. Alvo, hisce medicamentis libère soluta. Igne leni.

Rule 23. Nouns signifying part of time, and answering to the question *quando* (when?) are put in the ablative: as,

Omni nocte. Sextis horis. Tempore matutino.

Rule 24. But nouns signifying duration of time, and answering to the question *quamdiu* (how long?) are generally put in the accusative: the prepositions *per, ad, in, intra, inter,* being frequently expressed: as,

Per horam. Per tres noctes. Inter noctem.

Rule 25. A substantive and a participle, whose case depends upon no other word, are put in the ablative absolute: as,

Urgente tussi. Vase priùs agitato. Peracità effervescentiâ. Durante fluxu cruento. Fluxu cessante. Finitâ effervescentiâ.

Of Prepositions.

Rule 26. The prepositions *ad, apud, ante, inter, per, pone, secundùm, &c.* govern the accusative: as,

Ad uncias decem. Adversum renes. Inter scapulas. Pone aurem. Infra cubitos. Prope cartilaginem thyroideam.

Rule 27. The prepositions *a, ab, cum, de, e,* or *ex, pro, &c.* govern the ablative: as,

Cum cochleariibus tribus. E brachio. Ex largo vulnere. De novo.

Rule 28. Some prepositions govern either ablative or accusative: thus, *in,* signifying *in,* governs the ablative; when it signifies *into,* an accusative. *Sub, super,* and some others, also govern either case: as,

In urethram. Bis in die. In partes excoriatas. Sub aurem. Super alutam.

Rule 29. Verbs compounded with *a, ab, ad, con, de, e, ex, in,* sometimes repeat the same prepositions with their case out of composition, and that elegantly: as,

Detrahantur de hypochondrio dextro sanguinis unciæ decem.

Of Conjunctions.

Rule 30. The conjunctions *et, ac, atque, aut, vel,* and some others, couple like cases and moods: as,

Duabus vel tribus horis. Post singulas sedes liquidas vel singulas vomitiones. Applicentur parti affectæ hirudines sex et pro re nata repetantur.

Rule 31. The following conjunctions are generally found governing a subjunctive mood: *Ut, si, ne, donec, &c.* as,

Ut fiat haustus. Donec alvus responderit. Donec vomitus supervenerit. Si vigiliæ anxerint. Si tussis increbuerit.

Of Adverbs.

Rule 32. Some adverbs of quantity, time, and place, govern the genitive: as,

Quod satis est sacchari albi. Quantum sufficiat aquæ.

2. EXAMPLES OF PRESCRIPTIONS,

Accompanied with a Grammatical Explanation.

No. I.

(1) ℞. Ferri Carbonatis ʒjss.
(2) Rhei pulveris gr. xv.
(3) Olei Anthemidis gtt. v.
(4) Conservæ Rosæ quantum sufficiat ut fiat massula in pilulas viginti dividenda, quarum sumat æger tres octavis horis.

---

(1) RECIPE, verb active, imp. mood, 2d pers. sing. agreeing with *Tu* understood, (Rule 2); from *Recipio ĕre, cepi, ceptum* 3 conj. act. Governs an accusative. (Rule 14.)

DRACHMAM, noun subst. acc. sing. from *Drachma, æ,* f. 1st. decl. Governed by *Recipe.* (Rule 14.)

CUM, preposition. Governing an ablative case. (Rule 27.)

SEMISSE, subst. abl. case, from *Semissis, is,* f, 3d decl. Governed by *cum.*

CARBONATIS, subst. gen. sing. from *Carbonas, atis,** f. 3d decl. Governed by *Drachmam.* (Rule 9.)

FERRI, subst. gen. sing. from *Ferrum, i,* n. 2d decl. Governed by *Carbonatis.* (Rule 9 and note.)

(2) RECIPE, understood.

GRANA, subst. acc. pl. from *Granum, i,* n. 2d decl. Governed by *Recipe,* understood. (Rule 14.)

QUINDECIM, adj. indeclin.

PULVERIS, subst. gen. sing. from *Pulvis, eris,* m. 3d decl. Governed by *Grana.* (Rule 9).

RHEI, subst. gen. sing. from *Rheum, i,* n. 2d decl. Governed by *Pulveris.* (Rule 9 and note).

(3) RECIPE, understood.

GUTTAS, subst. acc. pl. from *Gutta, æ,* f. 1st decl. Governed by *Recipe,* understood. (Rule 14.)

---

* The words *Carbonas, Subcarbonas, Sulphas,* &c. are not found in the Latin dictionaries. The London College always make these and similar words of the feminine gender; but the Edinburgh College, and the original framers of the new nomenclature, uniformly consider them as masculine. The point is not easy to decide. "If we are to be guided by the standard of classical authority, the London College is certainly correct." (*Bostock's Remarks on the Nomenclature of the New London Pharmacopœia.*)

QUINQUE, adject. indeclin.

OLEI, subst. gen. sing. from *Oleum, ei,* n. 2d decl. Governed by *Guttas.* (Rule 9.)

ANTHEMIDIS, subst. gen. sing. from *Anthemis, idis,* f. 3d decl. Governed by *Olei.* (Rule 9 and note.)

(4) RECIPE, understood.

QUANTUM, adverb. Governing the genitive case. (Rule 32.)

SUFFICIAT, verb impers. potent. mood, pres. tense, from *Sufficio, ĕre, fēci, fectum,* neut. and act. 3d conj.

CONSERVÆ, subst. gen. sing. from *Conserva, æ,* f. 1st decl. Governed by *Quantum.* (Rule 32.)

ROSÆ, subst. gen. sing. from *Rosa, æ,* f. 1st decl. Governed by *Conservæ.* (Rule 9 and note.)

UT, conjunct. Governing a subj. mood. (Rule 31.)

MASSULA, subst. nom. case *a, æ,* f. 1st decl.;
FIAT, verb, subj. mood, pres. tense, 3d person, from *Fio, fis, factus sum* vel *fui, fieri,* neut. Governed by *Ut* (Rule 31), and agreeing with its nominative case *Massula* (Rule 2.)

DIVIDENDA, particip. nom. case. fem. gend. from *Dividendus, a, um,* (à *dividor, i, sus,* pass 3d conj.) Agreeing with *Massula,* (Rule 1.)

IN, preposition. Governing an accus. case. (Rule 28.)

PILULAS, subst. acc. pl. from *Pilula, æ,* f. 1st decl. Governed by *In* (Rule 28.)

VIGINTI, adj. indecl.

QUARUM, relative pronoun, gen. pl. fem. from *Qui, quæ, quod.* Agreeing with its antecedent *Pilulas* in gender and number. (Rule 4.) Governed, in the gen. case, by *Tres.* (Rules 6 and 13.)

ÆGER, adj. masc. gend. nom. *æger, ægra, ægrum.* Agreeing with *homo,* understood.* (Rule 1.)

SUMAT, verb, 3d pers. sing. imper. mood, from *Sumo, ere, psi, ptum,* act. 3d conj. Agreeing with *homo,* understood, (Rule 2;) governing an acc. case, (Rule 14.)

TRES, adj. acc. pl. fem. from *Tres, tres, tria.* Agreeing with *Pilulas,* understood, (Rule 1), and which is governed by *Sumat,* (Rule 14.)

HORIS, subst. abl. plural from *Hora, æ,* f. 1st decl.: signifying part of time, and therefore put in the abl. case. (Rule 23.)

OCTAVIS, adj. abl. plur. fem. from *octavus, a, um:* agreeing with *horis,* (Rule 1.)

---

* When *ægra* (a female patient) is used, it agrees with *mulier,* understood. Dr. Mason Good refers the origin of the word *æger* to the Arabic *ekrah,* (pronounced by the Turks *egrah,*) signifying "sickness, aversion, nausea, horror, or shuddering."

No. II.

(1) ℞. Pulv. Scamm. ℈ss.
(2) ——— Jalapæ gr. v.
(3) Calomelanos gr. iij.
(4) M. Fiat pulvis purgans, extemplò in pulpâ pomi tosti sumendus.

---

(1) RECIPE, as before.

SCRUPULUM, subst. acc. sing. from *Scrupulus, i,* m. 2d decl. Governed by *Recipe.* (Rule 14.)

DIMIDIUM, adj. acc. sing. masc. from *Dimidius, a, um;* agreeing with *Scrupulum.* (Rule 1.)

PULVERIS, subst. gen. sing. from *Pulvis, eris,* m. 3 decl. Governed by *Scrupulum.* (Rule 9.)

SCAMMONEÆ, subst. gen. sing. from *Scammonea. æ,* f. 1st decl. Governed by *Pulveris.* (Rule 9 and note.)

(2) RECIPE, understood, as before.

GRANA, subst. acc. pl. neut. from *Granum, i,* n. 2d decl. Governed by *Recipe,* understood. (Rule 14.)

QUINQUE, adj. indecl.

PULVERIS, subst. gen. sing. from *Pulvis, eris,* m. 3d decl. Governed by *Grana.* (Rule 9.)

JALAPÆ, subst. gen. sing. from *Jalapa, æ,* f. 1st decl. Governed by *Pulveris.* (Rule 9 and note.)

(3) RECIPE, understood, as before.

GRANA, subst. acc. pl. from *Granum, i,* n. 2d decl. Governed by *Recipe.* (Rule 14.)

TRIA, adj. acc. pl. neut. gend. from *Tres, tres, tria.* Agreeing with *Grana.* (Rule 1.)

CALOMELANOS, a subst. genit. sing. from *Calomelas,* a word compounded of two Greek words, καλος, good, and μελας, black, and declined like the masculine gender of the adjective μελας, thus: Nom. *Calomelas;* Gen. *Calomelanos;* Dat. *Calomelani;* Acc. *Calomelana;* Voc. *Calomelas.** Calomelanos is governed by *Grana.* (Rule 9)

(4) MISCE, verb, 2d pers. sing. imper. mood, from *Misceo, ēre, ui, mistum,* and *mixtum.* Act. 2d conj. Agreeing with *Tu,* understood. (Rule 2.)

FIAT, verb, imper. mood, from *Fio, fis, factus sum* vel *jui, fieri,* neut. Agreeing with *Pulvis.* (Rule 2.)

PULVIS, subst. nom. sing. masc. gen 3d decl.

PURGANS, part. nom. sing. masc. *Purgans, tis,*

---

* There is no ablative case in Greek; but, if it were required to put *Calomelas* in the ablative, it probably should be *Calomelane* or *Calomelani.*

from *Purgo, āre.* Agreeing with *Pulvis.* (Rule 1.)

SUMENDUS, part. Agreeing with Pulvis (Rule 1) in gender, number, and case. From *Sumor, i,* pass. 3d conj.

EXTEMPLO, adverb.

IN, prepos. governing an abl. case. (Rule 28.)

PULPA, subst. abl. sing. from *Pulpa, æ,* f. 1st decl. Governed by *in.* (Rule 28.)

POMI, subst. gen. sing. from *Pomum, i,* n. 2d decl. Governed by *Pulpa.* (Rule 9.)

TOSTI, part. gen. sing. neut. gend. from *Tostus, a, um.* (from *Torreor, ēri,* 2d conj.) Agreeing with *Pomi.* (Rule 1.)

FINIS.